



Microsoft Sentinel SOC 101

aka.ms/SentinelSOC101

ROD TRENT
SENIOR PROGRAM MANAGER
MICROSOFT

This is part of an ongoing series to educate about using Microsoft Security products in real world scenario.

The full series index (including code, queries, and detections) is located here:

<https://aka.ms/SentinelSOC101>

The book will be updated when each new part in this series is released.

This book is updated every time a new part of this series is chaptered. The most current edition of this book will always be located at: <https://github.com/rod-trent/Sentinel-SOC-101/tree/main/eBook>

Book release ver. 0.001, October 5, 2023 2:00pm EST

Contents

Introduction	11
Microsoft Sentinel SOC 101: How to Protect Your Organization from Cyber Threats with Microsoft Sentinel	11
Microsoft Sentinel SOC 101: How to Detect and Mitigate Brute Force Attacks with Microsoft Sentinel	13
Brutish	13
Collecting Security Events	14
Creating Analytic Rules for Brute Force Attacks	14
Simulating Brute Force Attacks	15
Using Kali Linux and Hydra for Attack Testing and Alert Generation	15
Preventing Brute Force Attacks	16
Enforce Strong Password Policies	17
Implement Account Lockout Policies	17
Implement Multi-Factor Authentication (MFA)	17
Implement Rate Limiting	17
Monitor and Analyze Logs	18
Summary	19
Microsoft Sentinel SOC 101: How to Detect and Mitigate Phishing Attacks with Microsoft Sentinel	19
Hook, Line, Sinker	19
Introduction to Phishing Attacks	20
The Rising Threat of Phishing Attacks	20
Why Phishing Attacks are Successful	20
The "Defense in Depth" Approach	21
Layered Security for Comprehensive Protection	21
Addressing Phishing Across the Attack Chain	21
Proactive Threat Hunting with Microsoft Sentinel	22
Leveraging KQL for Threat Hunting	22
Identifying Emerging Phishing Campaigns	22
Integrating Microsoft 365 Threat Protection	23
Utilizing Microsoft 365 Threat Protection (MTP)	23
Exploring Threat Hunting Capabilities in MTP	23
The Power of Microsoft Sentinel	23

Understanding the Role of Microsoft Sentinel.....	23
Integration with Microsoft 365 Threat Protection	24
Building a Security Orchestration, Automation, and Response (SOAR) System	24
Implementing Security Automation with Logic Apps	24
Creating an End-to-End Phishing Attack Response System	24
Investigating Phishing Emails with Kusto Query Language (KQL)	25
Analyzing URLs in Phishing Emails	25
Extracting Relevant Information from Email Events	25
Taking Action Against Phishing Attacks.....	26
Automating Responses for High-Confidence Phishing Attacks.....	26
Reporting Suspicious Emails to the NCSC.....	26
Enhancing Email Security with Microsoft Sentinel.....	26
Establishing Custom Logs for Email Events	26
Parsing Data to Facilitate Investigation	27
Advanced Investigation Techniques	27
Deep Dive Investigations with KQL.....	27
Monitoring Multiple Distinct EDR Events per Host.....	28
Summary	28
Microsoft Sentinel SOC 101: How to Detect and Mitigate Malware Attacks with Microsoft Sentinel	29
Mall Wear	29
Introduction to Malware Detection and Mitigation.....	29
Importance of Customizable Anomalies	29
Utilizing User and Entity Behavior Analytics (UEBA) Anomalies.....	30
Detecting Malware Attacks with Microsoft Sentinel.....	30
Importing Threat Intelligence	30
Leveraging Data Connectors	31
Using Analytics Rule Templates.....	31
Responding to Malware Attacks with Microsoft Sentinel.....	32
Incident Triage and Investigation	32
Security Orchestration Automation and Remediation (SOAR)	32
Threat Hunting with Anomalies	33
Summary	33

Microsoft Sentinel SOC 101: How to Detect and Mitigate Cross-Site Scripting (XSS) Attacks with Microsoft Sentinel.....	34
Criss-cross, applesauce	34
Introduction to Cross-Site Scripting (XSS) Attacks	34
Understanding XSS Attack Vectors	35
Azure WAF and Microsoft Sentinel: A Powerful Combination	35
Configuring Azure WAF for XSS Attack Detection	36
Leveraging Microsoft Sentinel for XSS Attack Detection	36
Analyzing XSS Attack Incidents in Microsoft Sentinel	37
Responding to XSS Attacks with Microsoft Sentinel.....	37
Best Practices for XSS Attack Prevention	38
Microsoft Sentinel SOC 101: Leveraging MITRE ATT&CK Techniques with Microsoft Sentinel.....	39
MITRE is Mightier	39
Understand the MITRE ATT&CK Framework	40
Map Your Existing Analytics Rules to MITRE Techniques	40
Prioritize Techniques Based on Your Threat Landscape.....	40
Implement Custom Analytics Rules for High-Priority Techniques	41
Collaborate with Your Security Operations Center (SOC)	41
Continuously Monitor and Update Your Analytics Rules	41
Share Your Findings with the Security Community	41
Leveraging the MITRE ATT&CK Blade in Microsoft Sentinel for Enhanced Security	42
Understand the MITRE ATT&CK Blade.....	42
Access and Navigate the MITRE ATT&CK Blade.....	42
Identify and Address Detection Gaps	43
Enhance Threat Hunting	44
Share Your Findings and Collaborate with Your Security Team	44
Using AI to Help Categorize Detections	44
Summary	46
Microsoft Sentinel SOC 101: How to Detect and Mitigate Supply Chain Attacks with Microsoft Sentinel.....	47
Working on the chain gang	47
Understanding the Threat Landscape	47
Harnessing the Power of KQL	49
Implementing Analytics Rules	49

Integration with Other Tools	50
Responding to Threats	50
Summary	51
Microsoft Sentinel SOC 101: How to Detect and Mitigate Credential Reuse Attacks with Microsoft Sentinel	52
Recycle	52
Increase the Cost of Compromising an Identity	52
Ban Common Passwords	53
Enforce Multi-Factor Authentication (MFA)	53
Block Legacy Authentication	53
Protect Privileged Identities	55
Detect Threats Through User Behavior Anomalies.....	55
Event Logging and Data Retention.....	55
Leverage User and Entity Behavioral Analytics (UEBA)	55
Assess Identity Risk.....	56
Summary	56
Microsoft Sentinel SOC 101: How to Detect and Mitigate SQL Injection Attacks with Microsoft Sentinel	57
S-s-s-s-sequel	57
Understanding SQL Injection Attacks	57
Detecting SQL Injection Attacks with Microsoft Sentinel	58
Advanced Analytics Rules	58
Integration with Microsoft Defender for SQL.....	59
Threat Intelligence Integration	59
Behavioral Analytics.....	60
Mitigating SQL Injection Attacks with Microsoft Sentinel	60
Automated Incident Response	60
Threat Hunting.....	61
Integration with Microsoft Defender for Cloud.....	61
Incident Investigation and Reporting.....	61
Summary	61
Microsoft Sentinel SOC 101: How to Detect and Mitigate Denial of Service Attacks with Microsoft Sentinel	62
Denied!	62

Understanding Denial of Service Attacks	62
Microsoft Sentinel for DoS Attack Detection	63
Analytics Rules for DoS Attack Detection	64
Incident Management and Investigation.....	65
Threat Intelligence Integration	66
Mitigating DoS Attacks with Microsoft Sentinel	67
Network Traffic Monitoring and Filtering.....	67
DDoS Protection Integration	67
Incident Response Playbooks.....	68
Summary	68
Microsoft Sentinel SOC 101: How to Detect and Mitigate Man/Adversary-in-the-Middle (MitM/AitM) Attacks with Microsoft Sentinel	69
Pickle ball	69
Understanding Man-in-the-Middle Attacks	69
What is a Man-in-the-Middle Attack?	69
How Does a Man-in-the-Middle Attack Work?	69
Common Types of Man-in-the-Middle Attacks.....	70
Detecting Man-in-the-Middle Attacks with Microsoft Sentinel	71
Real-time Monitoring and Event Correlation	71
Machine Learning and Behavioral Analytics	72
Integration with Microsoft Defender for Endpoint	72
Automated Incident Response and Remediation.....	73
Mitigating Man-in-the-Middle Attacks with Microsoft Sentinel	73
Implement Secure Communication Protocols.....	74
Regularly Update and Patch Systems	74
Implement Network Segmentation	74
Use Multi-Factor Authentication	74
Regularly Train and Educate Employees.....	75
Monitor and Analyze Network Traffic.....	75
Conduct Regular Security Audits and Penetration Testing.....	75
Establish an Incident Response Plan	76
Summary	76
Microsoft Sentinel SOC 101: How to Detect and Mitigate Keylogger Attacks with Microsoft Sentinel	77

I'm a lumberjack	77
What is a keylogger attack?.....	77
How to detect keylogger attacks with Microsoft Sentinel.....	77
Things to look for	78
How to mitigate keylogger attacks.....	79
Use multi-factor authentication.....	79
Educate users.....	80
Use endpoint protection software.....	80
Summary	80
Microsoft Sentinel SOC 101: How to Detect and Mitigate Cryptojacking Attacks with Microsoft Sentinel.....	81
Get back, Jack	81
Common cryptojacking techniques and indicators	81
How Microsoft Sentinel can help you detect and mitigate cryptojacking attacks	82
Summary	83
Microsoft Sentinel SOC 101: How to Detect and Mitigate Drive-by Download Attacks with Microsoft Sentinel.....	84
In the driver's seat	84
Microsoft Sentinel	85
Example Scenario.....	86
Mitigation.....	90
Microsoft Sentinel SOC 101: How to Detect and Mitigate Quishing Attacks with Microsoft Sentinel	91
Q-is	91
What is a Quishing Attack?	92
Allow Defender for Office 365 to do its job	92
Identifying Image Attachments in Email.....	93
Remediation	94

Introduction

Microsoft Sentinel SOC 101: How to Protect Your Organization from Cyber Threats with Microsoft Sentinel

Cybersecurity is one of the most critical challenges facing organizations today. Cyberattacks are becoming more frequent, sophisticated, and damaging, targeting not only data and systems, but also people and reputation. According to a report by Cybersecurity Ventures, cybercrime is expected to cost the world \$10.5 trillion annually by 2025, up from \$3 trillion in 2015. This means that every 11 seconds, a business will fall victim to a cyberattack.

To defend against these threats, organizations need a robust and agile security operations center (SOC) that can detect, investigate, and respond to cyber incidents in real time. However, building and maintaining a SOC is not an easy task. It requires a lot of resources, expertise, and tools, which are often scarce and expensive. Moreover, traditional SOC's are often overwhelmed by the volume and complexity of security alerts, resulting in alert fatigue, missed threats, and slow response times.

This is where Microsoft Sentinel comes in. Microsoft Sentinel is a cloud-native security information and event management (SIEM) solution that leverages the power of artificial intelligence (AI) and machine learning (ML) to help organizations improve their security posture and reduce the cost and complexity of their SOC. Microsoft Sentinel enables organizations to:

- Collect data from any source, including Microsoft products and services, third-party solutions, and on-premises systems
- Analyze data using built-in or custom rules, ML models, and threat intelligence to detect known and unknown threats
- Investigate incidents using intuitive dashboards, visualizations, and playbooks that provide contextual and actionable insights
- Respond to incidents using automated or manual actions that leverage native or integrated tools and workflows
- Learn from incidents using feedback loops and continuous improvement mechanisms that enhance the security posture over time

Microsoft Sentinel is designed to help organizations of any size and industry to protect their assets, users, and reputation from cyber threats. Whether you are new to SIEM or looking for a better alternative to your existing solution, Microsoft Sentinel can help you achieve your security goals.

In this book, you will learn how to use Microsoft Sentinel to detect and mitigate some of the most common and impactful cyberattacks that target organizations today. Each chapter will cover a different type of attack, such as brute force, phishing, malware, cross-site scripting (XSS), supply chain, credential reuse, SQL injection, denial of service (DoS), man-in-the-middle (MitM), keylogger, cryptojacking, or drive-by download. You will learn how these attacks work, what are their indicators of compromise (IoCs), how to configure Microsoft Sentinel to detect them, how to investigate them using Microsoft Sentinel's features and capabilities, and how to respond to them using Microsoft Sentinel's integrations and automation options. You will also learn how to leverage the MITRE ATT&CK framework, a globally recognized knowledge base of adversary tactics and techniques, to enhance your threat detection and response with Microsoft Sentinel.

By the end of this book, you will have a solid understanding of how Microsoft Sentinel can help you protect your organization from cyber threats. You will also have the skills and confidence to use Microsoft Sentinel effectively in your own SOC.

Let's get started!

Microsoft Sentinel SOC 101: How to Detect and Mitigate Brute Force Attacks with Microsoft Sentinel

Brutish

Brute force attacks are one of the most common and concerning security threats that organizations face today. These attacks involve an attacker attempting to gain unauthorized access to a system or account by systematically trying different passwords or passphrases until they find the correct one. Detecting and mitigating these attacks is crucial to maintaining the security and integrity of your systems.

The goal of a brute force attack is to exploit weak or easily guessable passwords and gain unauthorized access to a system. Attackers often use automated tools that can generate and test thousands of password combinations within a short period. These attacks can target various entry points, such as user accounts, remote desktop protocols (RDP), or SSH management ports. As a result, organizations need robust security measures in place to detect and prevent these attacks effectively.

Let's explore how you can leverage Microsoft Sentinel, a cloud-native Security Information Event Management (SIEM) and Security Orchestration Automated Response (SOAR) solution, to effectively detect and respond to brute force attacks. Let's talk about the necessary prerequisites, the collection of security events, the configuration of Azure Sentinel, and the creation of analytic rules to identify and mitigate these attacks. And then, let's talk about how to simulate a brute force attack to test your detection capabilities.

Collecting Security Events

To detect brute force attacks, organizations must collect and analyze security events. Microsoft Sentinel provides a comprehensive set of tools and data connectors to gather relevant security logs and events from various sources. By centralizing these logs in a log analytics workspace, organizations can perform in-depth analysis and create custom detection rules.

One crucial security event to monitor is the Windows Event ID 4625, which indicates failed login attempts. By focusing on successive failed logins, organizations can identify potential brute force attacks. The log analytics workspace in Microsoft Sentinel enables organizations to query and analyze these security events effectively.

Creating Analytic Rules for Brute Force Attacks

Once the security events are collected and stored in the log analytics workspace, organizations can create analytic rules to detect brute force attacks. Analytic rules in Microsoft Sentinel allow organizations to define specific conditions and patterns that indicate a potential attack.

To create an analytic rule for brute force attacks, organizations can leverage the power of the Kusto Query Language (KQL) in Microsoft Sentinel. KQL enables organizations to query the collected security events and filter them based on specific criteria. By using KQL, organizations can create rules that detect specific Event IDs, like Event ID 4625, and filter for failed login attempts with certain substatuses.

For example, a KQL query to detect brute force attacks targeting RDP or SSH management ports could be:

```
SecurityEvent
```

```
| where EventID == 4625  
| where (SubStatus == "0xc000006A" or SubStatus == "0xc0000064")  
| project TimeGenerated, EventID, WorkstationName, Computer, Account,  
LogonTypeName, LogonType, LogonProcessName, SubStatus, Activity
```

This query filters for Event ID 4625 (failed logins) and specific substatuses indicating a brute force attack on RDP or SSH management ports. By creating an analytic rule based on this query, organizations can automatically detect and respond to brute force attacks.

Simulating Brute Force Attacks

To test the effectiveness of the analytic rules and detection mechanisms, organizations can simulate brute force attacks. Simulating attacks allows organizations to evaluate the responsiveness and accuracy of their detection rules and identify any potential gaps in their security measures.

Other than writing a tool (PowerShell or otherwise) to simulate a Brute Force attack, tools like Kali Linux and Hydra can be used to simulate brute force attacks. These tools enable organizations to automate the process of trying different passwords and passphrases against targeted user accounts or entry points. By running these simulated attacks and monitoring the alerts generated by Microsoft Sentinel, organizations can fine-tune their detection rules and improve their overall security chapterure.

See:

[Using Kali Linux and Hydra for Attack Testing and Alert Generation](#)

[ROD TRENT](#)

.



Brute force attacks are an essential part of penetration testing, allowing security professionals to assess the strength of a system's passwords. One popular tool is Hydra, an open-source login cracker that supports over 50 protocols. In this tutorial, I'll explore how to use Hydra in conjunction with Kali Linux, a powerful penetration testing operating...

[Read full story](#)

Preventing Brute Force Attacks

While detecting and responding to brute force attacks is essential, organizations should also implement preventive measures to mitigate the risk of such attacks. Here are some best practices to prevent brute force attacks:

Enforce Strong Password Policies

Implementing strong password policies is crucial to prevent brute force attacks. Organizations should enforce password complexity requirements, such as a minimum length, a combination of uppercase and lowercase letters, numbers, and special characters. Additionally, regularly educating users about the importance of strong passwords and password hygiene can further enhance security.

Implement Account Lockout Policies

Account lockout policies can help mitigate the impact of brute force attacks. By setting thresholds for failed login attempts, organizations can automatically lock user accounts temporarily or permanently. This prevents attackers from making unlimited login attempts and significantly reduces the success rate of brute force attacks.

Implement Multi-Factor Authentication (MFA)

Multi-factor authentication adds an extra layer of security and makes it significantly harder for attackers to gain unauthorized access. By requiring users to provide additional verification, such as a code sent to their mobile device or a fingerprint scan, even if an attacker manages to guess the password, they would still need the additional factor to gain access.

Implement Rate Limiting

Rate limiting can be an effective strategy to prevent brute force attacks. By limiting the number of login attempts per second or per minute, organizations can significantly slow down the attackers' progress. This makes it impractical for attackers to guess

passwords within a reasonable timeframe, discouraging brute force attacks.

Monitor and Analyze Logs

Continuous monitoring and analysis of security logs are crucial to detecting and mitigating brute force attacks. By regularly reviewing the logs and looking for patterns of failed login attempts, organizations can proactively identify potential brute force attacks and take appropriate action such as those outlined as mitigations, including:

1. **Implement a logout policy:** Implement a logout policy that will lock out the account after a certain number of failed login attempts. This will prevent attackers from trying multiple passwords on the same account.
2. **Use strong passwords:** Strong passwords with a combination of letters, numbers, and symbols will make it harder for attackers to guess the password.
3. **Implement two-factor authentication:** Two-factor authentication adds an extra layer of security by requiring a second form of authentication, such as a fingerprint or a code sent to a mobile device.
4. **Monitor network traffic:** Monitoring network traffic can help detect brute force attacks and other suspicious activity.
5. **Implement intrusion detection and prevention systems:** Intrusion detection and prevention systems can help detect and prevent brute force attacks by monitoring network traffic and blocking suspicious activity.
6. **Conduct regular security audits:** Regular security audits can help identify vulnerabilities and weaknesses in the system and allow for timely remediation.

7. **Report the attack:** If an attack is detected, it should be reported to the relevant authorities, such as law enforcement or the organization's security team.

Summary

Brute force attacks pose a significant threat to organizations' security and can lead to data breaches and unauthorized access. However, with the robust capabilities of Microsoft Sentinel, organizations can detect and prevent these attacks effectively.

By collecting and analyzing security events, creating analytic rules, and simulating attacks, organizations can proactively detect brute force attacks and respond promptly. Additionally, implementing preventive measures such as strong password policies, account lockout policies, multi-factor authentication, rate limiting, and continuous log monitoring can significantly enhance the security chapterure of organizations.

With Microsoft Sentinel as a powerful security analytics and threat intelligence platform, organizations can stay one step ahead of attackers and protect their valuable data and resources from brute force attacks. By leveraging the capabilities of Microsoft Sentinel, organizations can detect, prevent, and remediate brute force attacks, ensuring the security of their digital assets.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Phishing Attacks with Microsoft Sentinel

Hook, Line, Sinker

Phishing attacks have become increasingly prevalent and pose significant risks to individuals and organizations alike.

Cybercriminals are constantly evolving their tactics, making it crucial for security professionals to stay ahead of the game. One effective approach to combatting phishing attacks is to leverage the power of Microsoft Sentinel, a cloud-native security information and event management (SIEM) solution. In this article, we will explore the steps to detect and mitigate phishing attacks using Microsoft Sentinel. From understanding the threat landscape to implementing proactive measures, this article will equip you with the knowledge and tools to safeguard your organization against phishing threats.

Introduction to Phishing Attacks

The Rising Threat of Phishing Attacks

Phishing attacks have become a pervasive and persistent threat in recent years. These attacks involve cybercriminals masquerading as trustworthy entities to trick individuals into divulging sensitive information or performing actions that compromise security. Phishing attacks can take various forms, including email phishing, smishing (SMS phishing), and vishing (voice phishing). The sophistication of phishing attacks continues to increase, making them harder to detect and resist.

Why Phishing Attacks are Successful

Phishing attacks are highly effective for several reasons. Firstly, they exploit human vulnerabilities, targeting individuals' trust, curiosity, and desire for convenience. Phishing emails often appear legitimate, using social engineering techniques to deceive recipients. Additionally, the sheer volume of phishing attacks makes it challenging for organizations to identify and respond to every instance. Cybercriminals often take advantage of current events and trends to enhance the authenticity of their attacks. The

financial gain for attackers is substantial, as successful phishing attacks can lead to identity theft, financial fraud, or unauthorized access to sensitive data.

The "Defense in Depth" Approach

Layered Security for Comprehensive Protection

To effectively combat phishing attacks, organizations need to adopt a "defense in depth" approach. This approach involves deploying multiple layers of security measures that address various stages of the attack chain. By implementing a combination of preventive, detective, and responsive security controls, organizations can significantly reduce their vulnerability to phishing attacks. The key is to have a comprehensive security strategy that encompasses user education, email filtering, endpoint protection, network security, and incident response.

Addressing Phishing Across the Attack Chain

Phishing attacks typically involve several stages, from the initial delivery of a malicious email to the execution of the final payload. To mitigate the risks associated with phishing attacks, organizations need to address each stage of the attack chain. This includes implementing measures such as:

- User education and awareness programs to help individuals recognize and report phishing emails.
- Robust email filtering solutions to identify and block phishing emails before they reach users' inboxes.
- Endpoint protection solutions that can detect and block malicious attachments or URLs.
- Network security controls, such as firewalls and intrusion detection systems, to monitor and prevent unauthorized access.

- Incident response plans and procedures to enable organizations to respond effectively in the event of a phishing attack.

By implementing security measures at each stage of the attack chain, organizations can significantly reduce their vulnerability to phishing attacks and minimize the potential impact of successful attacks.

Proactive Threat Hunting with Microsoft Sentinel

Leveraging KQL for Threat Hunting

Microsoft Sentinel provides security professionals with a powerful toolset for proactive threat hunting. Key to this capability is the use of Kusto Query Language (KQL), a powerful query language that allows analysts to search and analyze large volumes of data quickly. By leveraging KQL, security teams can identify potential phishing threats by searching for patterns and indicators of compromise (IoCs) within their data.

EXAMPLE: This query determines emails sent by top malicious/bad IP addresses.

```
let cutoff = 5;
EmailEvents
| where ThreatTypes has "Malware" or ThreatTypes has "Phish"
| summarize count() by SenderIPv4
| where count_ > cutoff // Arbitrary cutoff, increase or decrease as needed
| join EmailEvents on SenderIPv4
| where DeliveryAction =~ "Delivered"
```

Identifying Emerging Phishing Campaigns

Phishing campaigns are constantly evolving, with cybercriminals employing new techniques and tactics to bypass security measures. To stay ahead of these threats, security teams can use Microsoft Sentinel to proactively hunt for emerging phishing campaigns. By

monitoring and analyzing data from various sources, such as Microsoft 365 Threat Protection (MTP), Defender for Office, and Microsoft Cloud App Security (MCAS), analysts can identify patterns and behaviors associated with phishing attacks.

Integrating Microsoft 365 Threat Protection

Utilizing Microsoft 365 Threat Protection (MTP)

Microsoft 365 Threat Protection (MTP) is a comprehensive security solution that combines the power of multiple Microsoft security products. It includes features such as Office 365 Advanced Threat Protection and Windows Defender. By integrating MTP with Microsoft Sentinel, organizations can benefit from enhanced threat detection and response capabilities.

Exploring Threat Hunting Capabilities in MTP

Within MTP, security analysts can leverage advanced hunting capabilities to proactively search for and investigate potential phishing threats. Advanced hunting allows analysts to query and analyze vast amounts of security-related data, helping them identify patterns, trends, and IoCs associated with phishing attacks. By combining this data with the power of KQL, analysts can gain deeper insights into emerging phishing campaigns and take proactive steps to mitigate the risks.

The Power of Microsoft Sentinel

Understanding the Role of Microsoft Sentinel

Microsoft Sentinel is a cloud-native SIEM solution that enables organizations to collect, analyze, and visualize security data from various sources. It provides a centralized platform for managing security incidents, conducting investigations, and implementing

response actions. By integrating with Microsoft Sentinel, organizations can leverage the power of the cloud to enhance their threat detection and response capabilities.

Integration with Microsoft 365 Threat Protection

One of the key benefits of integrating with Microsoft Sentinel is the seamless integration with Microsoft 365 Threat Protection. This integration allows security teams to correlate and analyze data from MTP alongside other security data sources, enabling a more comprehensive and holistic view of potential phishing threats. By centralizing and correlating data from multiple sources, organizations can detect and respond to phishing attacks more effectively.

[Connect data from Microsoft 365 Defender to Microsoft Sentinel](#)

Building a Security Orchestration, Automation, and Response (SOAR) System

Implementing Security Automation with Logic Apps

To enhance the efficiency and effectiveness of phishing attack response, organizations can implement security orchestration, automation, and response (SOAR) systems. Microsoft Sentinel provides integration with Azure Logic Apps, allowing organizations to automate and streamline their phishing attack response processes. Logic Apps enable organizations to create workflows that automate various security tasks, such as analyzing suspicious emails, blocking malicious URLs, and generating incident reports.

Creating an End-to-End Phishing Attack Response System

By combining the power of Microsoft Sentinel and Logic Apps, organizations can create an end-to-end phishing attack response

system. This system can automatically detect and analyze potential phishing emails, assess the risk level, and trigger appropriate response actions based on predefined rules and workflows. Examples of response actions include quarantining suspicious emails, blocking malicious URLs, and notifying security teams for further investigation.

Investigating Phishing Emails with Kusto Query Language (KQL)

Analyzing URLs in Phishing Emails

Kusto Query Language (KQL) provides a powerful tool for investigating phishing emails. Analysts can use KQL queries to search for specific URLs within email events and correlate them with known phishing URLs from external threat intelligence sources. By identifying and analyzing URLs that match known phishing URLs, organizations can proactively identify potential phishing attacks and take appropriate action to mitigate the risks.

Example: [SecurityAlert-VisualizeTopPhishingDomains.kql](#)

Extracting Relevant Information from Email Events

In addition to analyzing URLs, KQL queries can also extract relevant information from email events, such as sender information, subject lines, attachment counts, and timestamps. By summarizing and analyzing this information, organizations can gain insights into the characteristics and patterns of phishing emails. This information can help in identifying trends, improving detection algorithms, and guiding incident response efforts.

Taking Action Against Phishing Attacks

Automating Responses for High-Confidence Phishing Attacks

Organizations can further enhance their phishing attack response capabilities by automating response actions for high-confidence phishing attacks. By leveraging the power of Microsoft Sentinel and Logic Apps, security teams can create automated workflows that trigger predefined response actions based on specific criteria. Examples of automated response actions include blocking malicious URLs, quarantining suspicious emails, and notifying security teams for further investigation.

Reporting Suspicious Emails to the NCSC

To combat phishing attacks effectively, organizations can report suspicious emails to external authorities such as the National Cyber Security Centre (NCSC). Microsoft Sentinel can be integrated with the Suspicious Email Reporting Service (SERS) provided by the NCSC, enabling organizations to automatically report identified phishing emails. By sharing information with external authorities, organizations contribute to a broader cybersecurity ecosystem, helping to protect others from similar attacks.

Enhancing Email Security with Microsoft Sentinel

Establishing Custom Logs for Email Events

Microsoft Sentinel allows organizations to establish custom logs for email events, providing a centralized repository for storing and analyzing email-related data. By configuring custom logs, organizations can capture and analyze email events at a granular level, enabling more effective threat detection and incident response. Custom logs can be tailored to capture specific attributes

and metadata of emails, such as sender information, recipient information, subject lines, and attachment details.

Parsing Data to Facilitate Investigation

Once email events are captured in custom logs, organizations can parse and analyze the data to facilitate investigation and response efforts. By extracting relevant information from email events, such as sender addresses, recipient addresses, and attachment details, organizations can gain insights into the characteristics and patterns of phishing attacks. This information can be used to develop more robust detection algorithms, improve incident response procedures, and enhance overall email security.

Advanced Investigation Techniques

Deep Dive Investigations with KQL

When investigating potential phishing attacks, security teams can perform deep dive investigations using Kusto Query Language (KQL). By combining KQL queries with advanced hunting capabilities, organizations can search and analyze large volumes of security-related data to identify potential phishing threats. Deep dive investigations can uncover hidden patterns, trends, and IoCs, enabling organizations to proactively detect and respond to phishing attacks.

EXAMPLE: This query helps surface phishing campaigns associated with Appspot abuse. These emails frequently contain phishing links that utilize the recipients' own email address as a unique identifier in the URI.

```
EmailUrlInfo
// Detect URLs with a subdomain on appspot.com
| where UrlDomain matches regex @"'b[\w\-\-]+\dot-[\w\-\-]+\appspot\.com\b'"
// Enrich results with sender and recipient data
```

```

| join kind=inner EmailEvents on
$left.NetworkMessageId==$right.NetworkMessageId
// Phishing attempts from Appspot related campaigns typically contain the
recipient's email address in the URI
// Example 1: https://example-dot-example.appspot.com/#recipient@domain.com
// Example 2: https://example-dot-
example.appspot.com/index.html?user=recipient@domain.com
| where Url has RecipientEmailAddress
    // Some phishing campaigns pass recipient email as a Base64 encoded
string in the URI
    or Url has base64_encode_tostring(RecipientEmailAddress)
| project-away Timestamp1, NetworkMessageId1, ReportId1

```

Monitoring Multiple Distinct EDR Events per Host

To enhance the effectiveness of phishing attack detection, security teams can monitor multiple distinct endpoint detection and response (EDR) events per host. By correlating and analyzing EDR events from different hosts, organizations can identify patterns and trends associated with phishing attacks. This approach allows for a more comprehensive view of potential threats and enables organizations to respond more effectively to phishing attacks.

Summary

In conclusion, Microsoft Sentinel provides powerful tools and capabilities for detecting and mitigating phishing attacks. By leveraging KQL, integrating with Microsoft 365 Threat Protection, and implementing security automation with Logic Apps, organizations can proactively detect and respond to phishing threats. With Microsoft Sentinel, organizations can centralize and correlate security data, enabling a more comprehensive view of potential phishing attacks. By combining these tools and techniques, organizations can enhance their email security chapterure and protect against the ever-evolving threat of phishing attacks.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Malware Attacks with Microsoft Sentinel

Mall Wear

Malware attacks pose a significant threat to organizations of all sizes. These attacks can result in data breaches, financial losses, and damage to an organization's reputation. To effectively detect and mitigate malware attacks, organizations need robust security measures in place. Microsoft Sentinel, a cloud-native Security Information and Event Management (SIEM) solution, offers advanced threat detection and response capabilities to defend against malware attacks.

Introduction to Malware Detection and Mitigation

Cybercriminals are constantly evolving their methods to evade detection and infiltrate organizations' systems. Therefore, it is crucial for organizations to stay one step ahead by leveraging advanced detection and mitigation techniques. Microsoft Sentinel provides a comprehensive set of tools and features to detect and mitigate malware attacks effectively.

Importance of Customizable Anomalies

One of the key features of Microsoft Sentinel is its customizable anomaly detection. Anomalies are machine learning-based models that can identify unusual behavior in systems. While anomalies themselves do not necessarily indicate malicious activity, they can serve as additional signals to improve detection, provide evidence during investigations, and guide proactive threat hunting.

Microsoft Sentinel's customizable anomalies are pre-tuned by the data science team, allowing organizations to gain immediate value without the need for complex tuning or extensive machine learning

knowledge. Organizations can further fine-tune these anomalies through the user-friendly analytics rule interface to meet their specific needs.

[Use customizable anomalies to detect threats in Microsoft Sentinel](#)

Utilizing User and Entity Behavior Analytics (UEBA) Anomalies

Microsoft Sentinel leverages User and Entity Behavior Analytics (UEBA) to detect anomalies based on dynamic baselines created for each entity. These baselines are established using historical activities, peer behavior, and organizational patterns. By correlating different attributes such as action type, geo-location, device, resource, and ISP, UEBA anomalies can identify potential threats and provide valuable insights during investigations and threat hunting activities.

[Enable User and Entity Behavior Analytics \(UEBA\) in Microsoft Sentinel](#)

Detecting Malware Attacks with Microsoft Sentinel

Microsoft Sentinel offers a wide range of capabilities to detect and respond to malware attacks effectively. By leveraging its advanced detection mechanisms and threat intelligence integration, organizations can proactively identify and mitigate malware threats.

Importing Threat Intelligence

Threat intelligence plays a crucial role in detecting and responding to malware attacks. Microsoft Sentinel allows organizations to import threat intelligence from various sources, including open-source data feeds, commercial intelligence feeds, and local intelligence gathered during security investigations. By integrating

threat intelligence into Microsoft Sentinel, organizations can enhance their detection capabilities and gain valuable context for investigative purposes.

Threat intelligence integration in Microsoft Sentinel

Leveraging Data Connectors

Data connectors in Microsoft Sentinel enable the import of threat indicators and other security-related data from various sources. These connectors include the Microsoft Defender Threat Intelligence data connector, Threat Intelligence - TAXII data connector, and Threat Intelligence Platforms data connector. By utilizing these connectors, organizations can centralize their threat intelligence data and leverage it to detect and respond to malware attacks effectively.

Threat intelligence integration in Microsoft Sentinel

Using Analytics Rule Templates

Microsoft Sentinel provides built-in analytics rule templates that organizations can leverage to detect malware attacks. These templates cover a wide range of scenarios and can be customized to fit specific organizational needs. By applying these rule templates, organizations can identify suspicious activities and generate security alerts to initiate the incident response process.

Example: Malware uploaded to SharePoint or OneDrive

```
OfficeActivity
| where TimeGenerated > ago(30d)
| where Operation == "FileMalwareDetected"
| project
    TimeGenerated,
    OfficeWorkload,
    ['File Name']=SourceFileName,
    ['File Location']=OfficeObjectId,
    ['Relative File URL']=SourceRelativeUrl,
```

Responding to Malware Attacks with Microsoft Sentinel

Once a malware attack is detected, organizations must have a well-defined incident response plan in place. Microsoft Sentinel offers a range of response capabilities to effectively mitigate the impact of malware attacks and prevent further damage.

[Example - Ransomware Attack: Incident Response Plan and Action Items](#)

Incident Triage and Investigation

When an incident is detected, organizations can triage and investigate the incident using the Microsoft Sentinel portal. Security analysts can review alerts, gather contextual information, and assess the severity of the incident. By leveraging the visualization capabilities of Microsoft Sentinel, analysts can gain a comprehensive understanding of the attack and its potential impact.

[Understand Microsoft Sentinel's incident investigation and case management capabilities](#)

Security Orchestration Automation and Remediation (SOAR)

Microsoft Sentinel's Automated Investigation and Response capabilities help security operations teams streamline their incident response processes. AIR can examine alerts, perform automated investigations, and initiate response actions based on predefined playbooks. By automating repetitive tasks, organizations can free up valuable resources and respond to malware attacks more efficiently.

Examples:

[Block-AADUserOrAdmin](#)

[Isolate-AzureVMtoNSG](#)

Threat Hunting with Anomalies

Threat hunting is an essential proactive security practice that helps organizations identify and mitigate potential threats before they cause significant harm. By using anomalies as a starting point, threat hunters can conduct investigations and explore potential indicators of compromise (IOCs). Anomalies provide valuable context and guide threat hunters in identifying suspicious activities and uncovering hidden threats.

[Threat Hunting TI Feed - ThreatfoxMalwareDomains.md](#)

Summary

Detecting and mitigating malware attacks is a critical aspect of maintaining a robust cybersecurity chapterure. Microsoft Sentinel offers powerful capabilities to help organizations identify and respond to malware attacks effectively. From customizable anomalies and threat intelligence integration to automated investigation and response, Microsoft Sentinel empowers organizations to stay one step ahead of cybercriminals and protect their valuable assets. By leveraging these advanced features, organizations can detect and mitigate malware attacks in a timely and efficient manner, minimizing the potential impact on their operations.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Cross-Site Scripting (XSS) Attacks with Microsoft Sentinel

Criss-cross, applesauce

In today's digital landscape, web application security is of utmost importance. Protecting your web applications from common attacks like Cross-Site Scripting (XSS) is crucial to ensure the confidentiality, integrity, and availability of your data. In this article, we will explore how Microsoft Sentinel, a powerful security information and event management (SIEM) solution, can help you detect and mitigate XSS attacks.

Introduction to Cross-Site Scripting (XSS) Attacks

Cross-Site Scripting (XSS) attacks are a common type of web application vulnerability where an attacker injects malicious scripts into trusted websites, which are then executed by unsuspecting users. These attacks can lead to various consequences, including unauthorized access to sensitive data, session hijacking, defacement of websites, and even the spread of malware.

XSS attacks can be classified into three main types:

- **Stored XSS:** The malicious script is permanently stored on the target server and served to users whenever they access the affected page.
- **Reflected XSS:** The malicious script is embedded in a URL parameter and is reflected back to the user by the server.
- **DOM-based XSS:** The malicious script is injected into the Document Object Model (DOM) of a web page and executed by the victim's browser.

Understanding XSS Attack Vectors

XSS attacks can occur through various attack vectors, exploiting vulnerabilities in different parts of a web application. Some common XSS attack vectors include:

- **Input Fields:** Attackers can inject malicious scripts into input fields such as contact forms, search boxes, and comment sections.
- **URL Parameters:** Attackers can manipulate URL parameters to inject malicious scripts that are then reflected back to the user.
- **Cookies:** Attackers can modify cookies to execute malicious scripts in the victim's browser.
- **HTTP Headers:** Attackers can inject malicious scripts into HTTP headers, which are then executed by the victim's browser.
- **Third-Party Scripts:** Attackers can compromise third-party scripts used by a website, allowing them to inject and execute malicious code.

It's important to understand these attack vectors to effectively detect and mitigate XSS attacks in your web applications.

Azure WAF and Microsoft Sentinel: A Powerful Combination

Azure Web Application Firewall (WAF) and Microsoft Sentinel work together to provide comprehensive protection against XSS attacks. Azure WAF is a cloud-based firewall service that protects web applications from common attacks, including XSS. Microsoft Sentinel, on the other hand, is a cloud-native SIEM solution that provides intelligent security analytics and threat intelligence across your enterprise.

By integrating Azure WAF with Microsoft Sentinel, you can leverage the advanced detection capabilities of Azure WAF and the powerful analytics and automation features of Microsoft Sentinel to effectively detect, investigate, and respond to XSS attacks.

Configuring Azure WAF for XSS Attack Detection

To configure Azure WAF for XSS attack detection, follow these steps:

1. Set up an Azure Application Gateway or Azure Front Door with Azure WAF enabled.
2. Configure the firewall mode to "Prevention" to block suspicious incoming traffic.
3. Enable monitoring of Azure WAF logs using Azure Monitor or Azure Security Center.
4. Set up the Azure WAF Data Connector to send WAF logs to Azure Sentinel for advanced threat detection.

By following these steps, you can ensure that Azure WAF is actively monitoring and protecting your web applications against XSS attacks.

Leveraging Microsoft Sentinel for XSS Attack Detection

Microsoft Sentinel provides powerful capabilities to detect XSS attacks and other security incidents. By utilizing Microsoft Sentinel's advanced analytics, machine learning algorithms, and threat intelligence, you can effectively identify and investigate XSS attacks in real-time.

To leverage Microsoft Sentinel for XSS attack detection, create an analytics rule with the following KQL query:

```
AzureDiagnostics  
| where ResourceType == "APPLICATIONGATEWAYS"
```



```
| where Category == "ApplicationGatewayFirewallLog"  
| where Message contains "XSS Attack"  
| project Message, details_message_s, details_data_s, clientIp_s, action_s
```

This query filters the Azure WAF logs for XSS attack incidents. When an XSS attack is detected, Microsoft Sentinel will generate an incident for further investigation.

Analyzing XSS Attack Incidents in Microsoft Sentinel

Once an XSS attack incident is generated in Microsoft Sentinel, you can analyze it using various tools and features provided by the platform. The following steps outline the process of analyzing XSS attack incidents:

1. Access the Incidents page in Microsoft Sentinel to view all generated incidents.
2. Filter and search for XSS attack incidents based on severity, status, or specific criteria.
3. Select an incident to view detailed information, including the timeline of alerts and bookmarks related to the incident.
4. Use the investigation graph to visualize the entities and relationships involved in the XSS attack.
5. Review the alerts and entities associated with the incident to gain insights into the attack and potential impact.
6. Collaborate with other analysts by adding comments and sharing findings to facilitate investigation and response.

By following these steps, you can effectively analyze XSS attack incidents and gain a deeper understanding of the attack's scope and impact.

Responding to XSS Attacks with Microsoft Sentinel

When an XSS attack is detected and analyzed in Microsoft Sentinel, it's important to respond promptly to mitigate the impact and

prevent further exploitation. The following actions can be taken to respond to XSS attacks:

1. Block the IP address or source of the attack to prevent further malicious activity.
2. Investigate the affected web application to identify and patch vulnerabilities that allowed the XSS attack.
3. Communicate with affected users and provide guidance on how to protect themselves against potential risks.
4. Update security policies and procedures to prevent future XSS attacks.
5. Educate developers and security teams on best practices for web application security, including input validation and output encoding.

By taking these proactive measures, you can effectively respond to XSS attacks and minimize the risk of future incidents.

Best Practices for XSS Attack Prevention

Preventing XSS attacks requires a combination of secure coding practices, robust security controls, and ongoing monitoring. Here are some best practices to help prevent XSS attacks:

1. Implement input validation and output encoding to ensure that user-supplied data is treated as plain text and not as executable code.
2. Use secure coding frameworks and libraries that provide built-in protection against XSS attacks.
3. Regularly update and patch web application software to address known vulnerabilities.
4. Train developers on secure coding practices, including the proper handling of user input and output.

5. Implement web application firewalls and security monitoring solutions, such as Azure WAF and Microsoft Sentinel, to detect and mitigate XSS attacks in real-time.
6. Conduct regular security assessments and penetration testing to identify and remediate any vulnerabilities in your web applications.

By following these best practices, you can significantly reduce the risk of XSS attacks and ensure the security of your web applications.

Microsoft Sentinel SOC 101: Leveraging MITRE ATT&CK Techniques with Microsoft Sentinel

MITRE is Mightier

Microsoft Sentinel is a powerful, cloud-native security information and event management (SIEM) platform that helps organizations detect, prevent, and respond to cybersecurity threats. One of the ways Sentinel achieves this is through Analytics Rules, which are designed to identify potential security issues in your environment based on patterns and indicators.

To further enhance your organization's security chapterure, it is critical to align your Sentinel Analytics Rules with the [MITRE ATT&CK framework](#). This framework is a globally recognized, comprehensive matrix of tactics and techniques used by threat actors during their attack campaigns. By incorporating MITRE techniques into your Sentinel Analytics Rules, you can effectively identify, analyze, and respond to threats more efficiently.

In this chapter, I'll discuss some best practices for using MITRE techniques in conjunction with Microsoft Sentinel Analytics Rules and talk about using the MITRE ATT&CK blade in Microsoft Sentinel.

Understand the MITRE ATT&CK Framework

Before diving into the implementation of MITRE techniques, it is essential to understand the MITRE ATT&CK framework. The framework consists of tactics (the attacker's objectives) and techniques (the methods used to achieve those objectives). Familiarize yourself with the various tactics and techniques available in the framework to identify which ones are most relevant to your organization's security needs.

<https://attack.mitre.org/>

Map Your Existing Analytics Rules to MITRE Techniques

Evaluate your existing Sentinel Analytics Rules and identify the MITRE techniques they cover. This will help you understand any gaps in your detection and response capabilities. You can use the Microsoft Security Center's built-in mapping feature to quickly identify the relevant MITRE techniques for your rules.

Prioritize Techniques Based on Your Threat Landscape

Not all organizations are equally vulnerable to every technique in the MITRE ATT&CK framework. Understand your organization's threat landscape and prioritize implementing the most relevant techniques. Consider factors such as your industry, geography, and the types of data and assets you need to protect.

Implement Custom Analytics Rules for High-Priority Techniques

After prioritizing the most relevant MITRE techniques for your organization, create custom Sentinel Analytics Rules to address those techniques. Ensure that these rules are based on high-quality data sources and are fine-tuned to minimize false positives. Test and validate the rules in your environment before deploying them to production.

Collaborate with Your Security Operations Center (SOC)

Your SOC plays a critical role in responding to threats detected by your Analytics Rules. Ensure that your SOC team understands the MITRE ATT&CK framework and how it applies to your organization's security strategy. Provide training and resources to help them effectively analyze alerts generated by your MITRE-aligned Analytics Rules.

Continuously Monitor and Update Your Analytics Rules

Threat actors are constantly evolving their tactics and techniques, and your organization's threat landscape may change over time. Continuously monitor and update your Sentinel Analytics Rules to stay current with the latest MITRE techniques. Regularly review your rules for effectiveness and make adjustments as needed.

Share Your Findings with the Security Community

MITRE ATT&CK is a collaborative framework that relies on the input of security professionals worldwide. Share your experiences, findings, and best practices with the security community to help improve the overall effectiveness of the framework and contribute

to the development of more robust detection and response capabilities.

Leveraging the MITRE ATT&CK Blade in Microsoft Sentinel for Enhanced Security

One of the key features in Microsoft Sentinel that leverages the MITRE ATT&CK framework is the MITRE ATT&CK Blade. You can use the MITRE ATT&CK Blade to improve your organization's security monitoring and response capabilities.


Understand the MITRE ATT&CK Blade

The MITRE ATT&CK Blade in Microsoft Sentinel is a visual representation of the ATT&CK framework, displaying the various tactics and techniques employed by threat actors. It helps security teams to quickly understand the scope of a specific attack, identify gaps in their detection capabilities, and prioritize their response efforts.

Access and Navigate the MITRE ATT&CK Blade

To access the MITRE ATT&CK Blade in Microsoft Sentinel, follow these steps:

1. Sign into the Microsoft Sentinel portal.
2. Navigate to the "MITRE ATT&CK" blade in the left-hand menu.



The MITRE ATT&CK Blade displays the tactics in rows and techniques in columns, with each technique represented by a unique ID and short description. You can click on a specific technique to view more details and relevant detection queries.

Identify and Address Detection Gaps

The MITRE ATT&CK Blade can help you identify gaps in your detection capabilities by revealing which techniques your organization is not currently monitoring. To address these gaps, you can create new analytics rules, fine-tune existing ones, or implement additional security controls to cover the missing techniques.

Enhance Threat Hunting


The MITRE ATT&CK Blade can also be used as a powerful threat hunting tool. By leveraging the built-in detection queries associated with each technique, you can proactively search for signs of malicious activity in your environment. This enables you to uncover threats that may have evaded your existing detection mechanisms and respond to them before they cause significant damage.

Share Your Findings and Collaborate with Your Security Team

Security teams can use the MITRE ATT&CK Blade to share their findings with colleagues and collaborate on investigations. By providing a common language and visual representation of threats, the MITRE ATT&CK Blade helps to improve communication and coordination among your security team members.

Using AI to Help Categorize Detections

One other tool available to security teams is the use of Generative AI. Using Generative AI makes it easier to help categorize and associate specific threats and detections with the proper MITRE ATT&CK tactics.



The public OpenAI ChatGPT is available, but I recommend using the security guardrails of Azure's OpenAI implementation for enterprises.

See the following recent articles on how to setup and create your own organization's Generative AI chatbot.

- [Basic Steps to Create Your Own Simple Copilot](#)

- [Quick Tip: Give Your Copilot a Name](#)
- [Quick Tip: Give Your Copilot a Personality](#)

Summary

Integrating MITRE techniques into your Microsoft Sentinel Analytics Rules is an essential step in enhancing your organization's security chapterure. By following these best practices, you can effectively identify, analyze, and respond to threats based on the latest tactics and techniques used by adversaries. Remember to continuously monitor and update your rules, collaborate with your SOC, and share your findings with the security community to ensure the ongoing effectiveness of your MITRE-aligned Analytics Rules.

The MITRE ATT&CK Blade in Microsoft Sentinel is a valuable tool for enhancing your organization's security monitoring and response capabilities. By leveraging the MITRE ATT&CK framework, the blade helps you to better understand the scope of attacks, identify gaps in your detection capabilities, and prioritize your response efforts. To make the most of this powerful feature, ensure that your security team is familiar with the MITRE ATT&CK framework and regularly reviews the blade to stay current with the latest tactics and techniques employed by threat actors.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Supply Chain Attacks with Microsoft Sentinel

Working on the chain gang

Supply chain attacks have become a growing concern for businesses worldwide. These attacks target vulnerabilities within the supply chain, aiming to compromise the integrity of products, software, or services before they even reach the end-user. Given the interconnected nature of today's global supply chains, the potential impact of such attacks is vast.

Microsoft Sentinel, a cloud-native Security Information and Event Management (SIEM) tool, offers a robust solution to detect, investigate, and mitigate supply chain threats. In this chapter, we'll explore how to leverage Sentinel's capabilities, with a focus on Kusto Query Language (KQL) and Analytics Rules, to safeguard against these attacks.

Understanding the Threat Landscape

Supply chain attacks are a type of cyberattack where the attacker targets a vulnerable element in the supply chain of a product or service, rather than directly attacking the primary target organization or system. The aim of these attacks is to exploit weaknesses in the interconnected network of suppliers, manufacturers, distributors, and customers to gain unauthorized access to sensitive information, disrupt operations, or cause damage.

The nature of supply chain attacks can be explained through the following key characteristics:

1. **Indirect targeting:** In a supply chain attack, the attacker infiltrates the target organization indirectly by compromising a third-party supplier, contractor, or service provider. This makes it more challenging for the target organization to detect and prevent the attack.
2. **Multi-stage:** Supply chain attacks often involve multiple stages, such as initial infiltration, lateral movement, and persistence. Attackers may exploit multiple vulnerabilities across different organizations within the supply chain to achieve their objectives.
3. **Difficult to detect:** Because supply chain attacks target the weakest links in the chain, they often bypass traditional security measures and are harder to detect. Attackers may use advanced techniques such as malware, social engineering, and zero-day exploits to infiltrate the target organization undetected.
4. **Potentially high impact:** The interconnected nature of supply chains means that a successful attack on one organization can have ripple effects across multiple other organizations. This can lead to significant financial, operational, and reputational damage for all parties involved.
5. **Increased reliance on third-party vendors:** As organizations increasingly rely on external partners for various aspects of their operations, the risk of supply chain attacks increases. This creates a need for stronger security measures and closer collaboration between organizations to mitigate these risks.

In summary, supply chain attacks exploit the complex web of relationships between organizations to target vulnerable points within the chain. They pose a significant threat to organizations due to their indirect nature, difficulty in detection, and potentially high impact. As a result, organizations must be vigilant in securing their supply chains and collaborating with partners to protect against these attacks. Before diving into Sentinel's features, it's

crucial to understand the nature of supply chain attacks. These attacks often involve:

- Compromising software updates or patches.
- Manipulating hardware components.
- Exploiting third-party vendors or service providers.

Harnessing the Power of KQL

Kusto Query Language (KQL) is the core querying language of Microsoft Sentinel. It allows for advanced data exploration and manipulation, making it a powerful tool for detecting anomalies or patterns indicative of a supply chain attack.

****Example KQL Query:****

To identify unusual login attempts from regions where your suppliers are based, you might use:

```
SigninLogs
| where Location in ('SupplierRegion1', 'SupplierRegion2')
| summarize Count=count() by UserPrincipalName, Location
| where Count > 5
```

This query checks the `SigninLogs` for multiple login attempts from specified supplier regions and flags any user with more than five attempts.

Implementing Analytics Rules

Analytics Rules in Sentinel allow you to automate the detection of suspicious activities. By creating custom rules based on KQL queries, you can ensure that potential threats are flagged in real-time.

****Example Analytics Rule:****

Imagine you want to monitor for unexpected changes in your software's source code repository, which might indicate a compromise:

1. **Rule Name:** Unexpected Source Code Changes
2. **Tactic:** Persistence
3. **Severity:** High
4. **KQL Query:**

```
GitEvents  
| where OperationName == 'RepoModified'  
| where User notin ('KnownDev1', 'KnownDev2')
```

This rule monitors `GitEvents` for modifications to the repository by users other than the ones specified, potentially highlighting unauthorized changes.

For another example, see: [Suspicious Network Connections - Supply Chain Attack](#)

Integration with Other Tools

Microsoft Sentinel's strength lies in its ability to integrate with a wide range of tools and platforms. By pulling data from various sources, such as vulnerability management systems, code repositories, and third-party vendor logs, you can gain a holistic view of your supply chain's security chapterure.

Responding to Threats

Once a potential threat is detected, Sentinel provides automated response capabilities. Using Playbooks, you can define a series of automated steps to take when a specific rule is triggered. This might include notifying the security team, isolating affected systems, or even rolling back suspicious changes.

Example Playbooks:

- [Isolate-AzureVMtoNSG](#) - This playbook will take host entitles from triggered incident and search for matches in the enterprise's subscriptions. An email for approval will be sent to isolate Azure VM. Upon approval a new NSG Deny All is created and applied to the Azure VM, The Azure VM is restarted to remove any persisted connections.
- [Isolate-AzureStorageAccount](#) - This playbook will take Storage Account host entites from triggered incident and search for matches in the enterprise's subscriptions. An email for approval will be sent to isolate Azure Storage Account. Upon approval, the Storage Account firewall virtualNetworkRules and ipRules will be cleared, bypass rule set to None, and defaultAction set to Deny.
- [Block-AADUserOrAdmin](#) - This playbook will disable the user in Azure Active Directory and add a comment to the incident. There is an option for incident and alert trigger below.
- [Block-OnPremADUser](#) - Automatically disable Active Directory User Account On-Prem and on Azure using a Playbook triggered in Azure.

Summary

Supply chain attacks pose a significant risk, but with tools like Microsoft Sentinel, organizations can stay one step ahead. By leveraging the power of KQL and Analytics Rules, you can detect anomalies, investigate potential threats, and respond swiftly to safeguard your supply chain. As always, a layered defense strategy, combined with continuous monitoring and education, is the best approach to security.

For more, see: [Monitoring the Software Supply Chain with Microsoft Sentinel](#)

Microsoft Sentinel SOC 101: How to Detect and Mitigate Credential Reuse Attacks with Microsoft Sentinel

Recycle

In the ever-evolving landscape of cybersecurity threats, identity-based attacks are on the rise. Attackers often target compromised accounts to escalate privileges or gather intelligence for their malicious activities. This is why identity has become the new security perimeter. To mitigate the risk of data breaches, organizations must make it harder for attackers to steal identities and implement tools that facilitate the detection of compromised accounts.

In this article, we will explore the best practices and strategies for detecting and mitigating credential reuse attacks with Microsoft Sentinel. By leveraging the advanced capabilities of Azure AD, organizations can significantly reduce the number of successful identity-based attacks.

See: [Connect Azure Active Directory \(Azure AD\) data to Microsoft Sentinel](#)

Increase the Cost of Compromising an Identity

One of the primary reasons why identity-based attacks are successful is the vulnerability of passwords. People struggle to remember unique and complex passwords for multiple applications, leading them to reuse passwords or choose easily guessable ones. Attackers exploit this weakness through techniques like phishing campaigns and password spraying.

To make it harder for attackers to acquire and utilize stolen credentials, organizations should implement the following technical controls:

Ban Common Passwords

Start by banning the most commonly used passwords. Azure AD provides the capability to automatically prevent users from creating popular passwords, such as "password1234!" Organizations can also customize the banned password list with words specific to their industry or company, further enhancing password security.

Enforce Multi-Factor Authentication (MFA)

Multi-factor authentication adds an additional layer of security by requiring users to provide two or more forms of authentication, such as a password and a verification code sent to their mobile device. By implementing MFA, organizations significantly reduce the risk of account compromise, as stolen passwords alone are insufficient for attackers to gain access.

See: [Secure user sign-in events with Microsoft Entra multifactor authentication](#)

Block Legacy Authentication

Legacy authentication protocols, such as POP, SMTP, IMAP, and MAPI, are often targeted by attackers as they do not support MFA. Blocking these protocols eliminates a common access point for attackers and reduces the risk of account compromise. However, organizations need to carefully plan and execute the transition to modern authentication protocols to ensure a smooth migration.

Monitoring Legacy Authentication

To view all legacy authentication events:

```
SecurityEvent
| where EventID == 4624 and TargetLogonId != 0x0
| extend LegacyAuthentication = iif((LogonProcessName =~ "Advapi" or
LogonProcessName =~ "Ssp"), "True", "False")
| where LegacyAuthentication == "True"
```

To view all legacy authentication events from a specific user:

```
SecurityEvent
| where EventID == 4624 and TargetLogonId != 0x0 and AccountName ==
"<username>"
| extend LegacyAuthentication = iif((LogonProcessName =~ "Advapi" or
LogonProcessName =~ "Ssp"), "True", "False")
| where LegacyAuthentication == "True"
```

To view all legacy authentication events within a specific time frame:

```
SecurityEvent
| where TimeGenerated > ago(1d) and EventID == 4624 and TargetLogonId != 0x0
| extend LegacyAuthentication = iif((LogonProcessName =~ "Advapi" or
LogonProcessName =~ "Ssp"), "True", "False")
| where LegacyAuthentication == "True"
```

To view the top 10 users with the most legacy authentication events:

```
SecurityEvent
| where EventID == 4624 and TargetLogonId != 0x0
| extend LegacyAuthentication = iif((LogonProcessName =~ "Advapi" or
LogonProcessName =~ "Ssp"), "True", "False")
| where LegacyAuthentication == "True"
| summarize count() by AccountName
| top 10 by count_
```

To view all legacy authentication events from a specific source IP address:

```
SecurityEvent
| where EventID == 4624 and TargetLogonId != 0x0 and IPAddress == "<source IP
address>"
| extend LegacyAuthentication = iif((LogonProcessName =~ "Advapi" or
LogonProcessName =~ "Ssp"), "True", "False")
| where LegacyAuthentication == "True"
```

Protect Privileged Identities

Users with administrative privileges are prime targets for cybercriminals due to their access to valuable resources and sensitive information. To minimize the risk of compromising these accounts, organizations should restrict their usage to administrative tasks only. Just-in-time privileges can further enhance the security of administrative identities by requiring approval before accessing sensitive resources and time-bound access.

Detect Threats Through User Behavior Anomalies

While technical controls can reduce the risk of a breach, determined adversaries may still find ways to infiltrate an organization's systems. To discover and respond to threats effectively, organizations need the right data and tools to uncover patterns across different data sets and timeframes.

Event Logging and Data Retention

Capturing and retaining relevant data is crucial for detecting and investigating anomalies. Organizations should ensure they comply with privacy regulations and contractual obligations when determining the types of data to store and the retention period. Storing a sufficient amount of data enables organizations to identify patterns, even in recent behavior, by comparing it against historical information.

See: [Configure data retention and archive in Microsoft Sentinel](#)

Leverage User and Entity Behavioral Analytics (UEBA)

User and Entity Behavioral Analytics (UEBA) employ artificial intelligence and machine learning to model typical user and device behavior. By establishing baselines, UEBA solutions can identify

anomalies and assign risk scores to activities that deviate from the norm. Analyzing large data sets and prioritizing high-risk alerts enables organizations to detect potential threats and respond promptly.

See: [*Identify advanced threats with User and Entity Behavior Analytics \(UEBA\) in Microsoft Sentinel*](#)

Assess Identity Risk

To make informed decisions about security controls and measures, organizations need to assess their current identity risk. Penetration tests and password spray tests can help uncover vulnerabilities and highlight weak points in the organization's security chapterure. Conducting simulated phishing campaigns can also provide valuable insights into user awareness and susceptibility to social engineering attacks. Entra Identity Protection can assist in identifying users at risk and monitoring risky behavior as organizations strengthen their security controls.

Summary

Identity-based attacks pose significant threats to organizations' security and confidentiality. By implementing the best practices outlined in this article and leveraging the capabilities of Microsoft Sentinel, organizations can effectively detect and mitigate credential reuse attacks. Increasing the cost of compromising identities, detecting threats through user behavior anomalies, and regularly assessing identity risk are essential steps towards building a robust security chapterure.

Stay one step ahead of attackers by prioritizing identity security and adopting proactive measures to safeguard your organization's critical assets. With Microsoft Sentinel and Azure AD, you can

protect your identities and ensure the integrity of your digital ecosystem.

Remember, maintaining a strong security chapterure is an ongoing effort, requiring continuous monitoring, assessment, and adaptation to emerging threats.

Microsoft Sentinel SOC 101: How to Detect and Mitigate SQL Injection Attacks with Microsoft Sentinel

S-s-s-s-sequel

In today's digital landscape, cybersecurity threats are becoming increasingly sophisticated. One such threat is SQL injection attacks, which can have devastating consequences for organizations. SQL injection attacks occur when malicious actors exploit vulnerabilities in a web application's database layer to manipulate or extract sensitive data. These attacks can lead to unauthorized access, data breaches, and even complete system compromise.

To protect against SQL injection attacks, organizations need robust security measures and advanced threat detection capabilities. Microsoft Sentinel, a cloud-native security information and event management (SIEM) system, offers powerful tools to detect and mitigate SQL injection attacks. In this article, we will explore how Microsoft Sentinel can help organizations detect and respond to SQL injection attacks effectively.

Understanding SQL Injection Attacks

Before we delve into how Microsoft Sentinel can detect and mitigate SQL injection attacks, it's essential to understand how these attacks work. SQL injection attacks exploit vulnerabilities in web applications that do not properly validate or sanitize user input. By

injecting malicious SQL code into user input fields, attackers can manipulate the application's database queries and gain unauthorized access to sensitive data.

SQL injection attacks can take various forms, including:

1. **Union-based SQL Injection:** Attackers use the UNION operator to combine the results of two SQL queries and extract sensitive information from the database.
2. **Time-based Blind SQL Injection:** Attackers use conditional SQL queries that cause delays in the application's response to determine the presence or absence of specific data.
3. **Error-based SQL Injection:** Attackers deliberately trigger errors in SQL queries to obtain error messages that reveal sensitive information about the database structure.

Detecting SQL Injection Attacks with Microsoft Sentinel

Microsoft Sentinel provides organizations with a comprehensive set of tools and capabilities to detect and respond to SQL injection attacks effectively. Let's explore some key features and techniques used by Microsoft Sentinel for detecting these attacks.

Advanced Analytics Rules

Microsoft Sentinel uses advanced analytics rules to detect SQL injection attacks. These rules leverage machine learning algorithms and statistical models to analyze incoming security events and identify patterns indicative of SQL injection attacks. These rules can be customized based on the organization's specific needs and threat landscape.

See: [*Azure SQL Solution Analytic Rules*](#)

Integration with Microsoft Defender for SQL

Microsoft Sentinel integrates seamlessly with Microsoft Defender for SQL, a cloud-based database security solution. Microsoft Defender for SQL is a Defender plan in Microsoft Defender for Cloud. Microsoft Defender for SQL includes functionality for surfacing and mitigating potential database vulnerabilities, and detecting anomalous activities that could indicate a threat to your database. It helps you discover and mitigate potential database vulnerabilities and alerts you to anomalous activities that may be an indication of a threat to your databases. You can enable Microsoft Defender for SQL servers on machines to protect your IaaS SQL Servers by identifying and mitigating potential database vulnerabilities and detecting anomalous activities that could indicate threats to your databases. It also provides vulnerability assessment to discover, track, and assist you in the remediation of potential database vulnerabilities.

By leveraging the power of Azure Defender for SQL, Microsoft Sentinel can detect and respond to SQL injection attacks more effectively.

See: [Overview of Microsoft Defender for Azure SQL](#)

Threat Intelligence Integration

Microsoft Sentinel integrates with various threat intelligence feeds and databases to enrich its detection capabilities. By leveraging threat intelligence data, Microsoft Sentinel can identify known malicious IP addresses, domains, and patterns commonly associated with SQL injection attacks.

See: [Threat intelligence integration in Microsoft Sentinel](#)

Behavioral Analytics

Microsoft Sentinel employs behavioral analytics to detect anomalous activities indicative of SQL injection attacks. By establishing baselines of normal behavior for applications and databases, Microsoft Sentinel can identify deviations from these baselines and raise alerts when suspicious activities occur.

See: [Identify advanced threats with User and Entity Behavior Analytics \(UEBA\) in Microsoft Sentinel](#)

Mitigating SQL Injection Attacks with Microsoft Sentinel

Detecting SQL injection attacks is only the first step. To mitigate the impact of these attacks and protect sensitive data, organizations need to respond quickly and effectively. Microsoft Sentinel offers several capabilities to help organizations respond to SQL injection attacks.

Automated Incident Response

Microsoft Sentinel can automate incident response processes, enabling organizations to respond rapidly to SQL injection attacks. By leveraging playbooks and automation workflows, Microsoft Sentinel can initiate predefined response actions, such as isolating affected systems, blocking malicious IP addresses, or triggering alerts to security teams.

Example: [Isolate-AzureVMtoNSG](#) - This playbook will take host entitles from triggered incident and search for matches in the enterprise's subscriptions. An email for approval will be sent to isolate Azure VM. Upon approval a new NSG Deny All is created and applied to the Azure VM, The Azure VM is restarted to remove any persisted connections.

Threat Hunting

Microsoft Sentinel's hunting capabilities allow organizations to proactively search for potential SQL injection attack indicators across their environment. By analyzing log data, network traffic, and system activity, organizations can identify signs of compromise, trace the attacker's activities, and take appropriate remediation measures.

See: [Azure SQL Solution Hunting queries](#)

Integration with Microsoft Defender for Cloud

Microsoft Sentinel integrates with Microsoft Defender for Cloud, a unified security management and threat protection platform. Microsoft Defender for Cloud provides additional layers of protection against SQL injection attacks by continuously monitoring Azure resources, providing real-time alerts, and suggesting remediation steps.

See: [Connect Microsoft Defender for Cloud alerts to Microsoft Sentinel](#)

Incident Investigation and Reporting

Microsoft Sentinel offers comprehensive incident investigation and reporting capabilities. Security teams can review incident details, analyze the attack timeline, investigate affected systems, and generate detailed reports for further analysis and compliance purposes.

Summary

SQL injection attacks pose a significant threat to organizations, but with the right tools and techniques, these attacks can be effectively

detected and mitigated. Microsoft Sentinel offers a comprehensive set of capabilities to detect, respond to, and recover from SQL injection attacks. By leveraging advanced analytics, threat intelligence integration, and automated incident response, organizations can significantly enhance their security posture and protect sensitive data from SQL injection attacks.

Implementing Microsoft Sentinel as part of a robust security strategy can help organizations stay one step ahead of attackers and ensure the integrity and confidentiality of their data. By investing in proactive threat hunting and incident response capabilities, organizations can effectively safeguard their applications and databases against SQL injection attacks.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Denial of Service Attacks with Microsoft Sentinel

Denied!

In today's digital landscape, organizations face numerous cybersecurity threats, including denial of service (DoS) attacks. These attacks aim to overwhelm a target system or network, rendering it inaccessible to legitimate users. To effectively detect and mitigate DoS attacks, organizations need robust security operations center (SOC) capabilities. Microsoft Sentinel, a cloud-native security information and event management (SIEM) system, offers powerful tools and features to help organizations identify and respond to DoS attacks in real-time. In this article, we will explore the key steps involved in detecting and mitigating DoS attacks using Microsoft Sentinel.

Understanding Denial of Service Attacks

Before diving into the specifics of detecting and mitigating DoS attacks with Microsoft Sentinel, it is essential to understand the

nature of these attacks. A denial-of-service attack occurs when an attacker overwhelms a targeted system or network with an excessive amount of traffic or requests. This flood of traffic or requests exhausts the system's resources, leading to service disruptions and making the system unavailable to legitimate users.

There are different types of DoS attacks, including:

1. **Traditional DoS Attacks:** These attacks involve sending a high volume of traffic to a target system or network, such as UDP flood attacks or SYN flood attacks.
2. **Distributed DoS (DDoS) Attacks:** DDoS attacks involve multiple compromised computers, forming a botnet, to simultaneously flood the target system or network with traffic.
3. **Application Layer Attacks:** These attacks target specific applications or services running on a system, exploiting vulnerabilities to exhaust resources or disrupt functionality.

Detecting and mitigating DoS attacks requires a proactive approach and a robust security infrastructure. Microsoft Sentinel provides the necessary tools and capabilities to identify and respond to DoS attacks promptly.

Microsoft Sentinel for DoS Attack Detection

Microsoft Sentinel offers a comprehensive set of features and tools to help organizations detect and mitigate DoS attacks effectively. By leveraging advanced analytics capabilities, threat intelligence, and machine learning algorithms, Microsoft Sentinel enables security operations teams to identify suspicious activities and respond to DoS attacks in real-time.

Analytics Rules for DoS Attack Detection

One of the key features of Microsoft Sentinel is its analytics rules. These rules are pre-configured templates designed to detect specific types of threats, including DoS attacks. Microsoft's team of security experts and analysts have developed these rules based on known attack patterns, common attack vectors, and suspicious activity escalation chains.

Analytics rules for DoS attack detection analyze network traffic, server logs, and other relevant data sources to identify anomalies and patterns indicative of a DoS attack. These rules can be customized to align with an organization's specific requirements and threat landscape. By leveraging these analytics rules, organizations can detect and respond to DoS attacks promptly.

KQL Example of DoS attack against an IoT device:

```
SecurityAlert
| where ProductName == "Azure Security Center for IoT"
| where AlertName == "Suspicion of Denial Of Service Attack"
| where TimeGenerated <= ProcessingEndTime + 60m
| extend DeviceId = tostring(parse_json(ExtendedProperties).DeviceId)
| extend SourceDeviceAddress =
tostring(parse_json(ExtendedProperties).SourceDeviceAddress)
| extend DestDeviceAddress =
tostring(parse_json(ExtendedProperties).DestinationDeviceAddress)
| extend RemediationSteps = tostring(parse_json(RemediationSteps)[0])
| extend Protocol = tostring(parse_json(ExtendedProperties).Protocol)
| extend AlertManagementUri =
tostring(parse_json(ExtendedProperties).AlertManagementUri)
| project TimeGenerated, DeviceId, ProductName, ProductComponentName,
AlertSeverity, AlertName, Description, Protocol, SourceDeviceAddress,
DestDeviceAddress, RemediationSteps, Tactics, Entities, VendorOriginalId,
AlertLink, AlertManagementUri
```

KQL Example of DoS attack against a web application:

This query will return a table with the following columns:

- **TimeGenerated:** The timestamp of the web request

- **clientIP_s:** The IP address of the client that made the web request
- **requestUri_s:** The URI of the web request
- **httpStatus_d:** The HTTP status code of the web response
- **Requests:** The number of requests made by the client IP address in the time range

```
// Set the time range to look for potential DoS attacks
let timeRange = 1h;
// Set the threshold for the number of requests per IP address that indicates
a DoS attack
let threshold = 1000;
// Get the web requests from the AzureDiagnostics table
let webRequests = AzureDiagnostics
| where TimeGenerated > ago(timeRange)
| where Category == "ApplicationGatewayAccessLog"
| project TimeGenerated, clientIP_s, requestUri_s, httpStatus_d;
// Group the web requests by IP address and count the number of requests per
IP
let ipCounts = webRequests
| summarize Requests = count() by clientIP_s
| where Requests > threshold;
// Join the ipCounts with the webRequests to get the details of the requests
from the potential attackers
ipCounts
| join kind=inner webRequests on clientIP_s
| project TimeGenerated, clientIP_s, requestUri_s, httpStatus_d, Requests
| order by TimeGenerated desc
```

Incident Management and Investigation

When a DoS attack is detected, Microsoft Sentinel generates an incident, aggregating all relevant alerts and information related to the attack. Incidents provide security operations teams with a consolidated view of the attack, allowing them to investigate and respond effectively.

Microsoft Sentinel's incident management capabilities include:

- **Incident Prioritization:** Incidents are assigned a severity level, allowing security operations teams to prioritize their response based on the criticality of the attack.

- **Incident Timeline:** The incident timeline provides a chronological view of the attack, helping teams understand the sequence of events and identify the root cause.
- **Alert Correlation:** Microsoft Sentinel correlates alerts from various sources to provide a comprehensive understanding of the attack and its impact on the organization's infrastructure.
- **Playbooks and Automation:** Microsoft Sentinel supports automated response actions through playbooks, allowing organizations to streamline their incident response processes and mitigate DoS attacks more efficiently.

By leveraging these incident management and investigation capabilities, organizations can effectively respond to DoS attacks, minimizing the impact on their operations.

***See:** [Components of a DDoS response strategy](#)*

Threat Intelligence Integration

Microsoft Sentinel integrates with Microsoft Threat Intelligence to provide organizations with up-to-date threat intelligence data. This integration enables security operations teams to correlate DoS attack patterns with known threat indicators, enhancing their ability to detect and respond to attacks.

By leveraging threat intelligence data, organizations can identify attack patterns, understand the motivations behind DoS attacks, and proactively defend against them. Microsoft Sentinel's integration with threat intelligence feeds empowers security operations teams to stay ahead of emerging threats and take proactive measures to protect their infrastructure.

***See:** [Threat intelligence integration in Microsoft Sentinel](#)*

Mitigating DoS Attacks with Microsoft Sentinel

Detecting DoS attacks is just the first step in the battle against these disruptive cyber threats. Organizations must also have robust mitigation strategies in place to minimize the impact of DoS attacks and ensure business continuity. Microsoft Sentinel provides several features and capabilities to help organizations mitigate DoS attacks effectively.

Network Traffic Monitoring and Filtering

Microsoft Sentinel enables organizations to monitor network traffic in real-time, allowing them to identify and filter out malicious traffic associated with DoS attacks. By leveraging network traffic monitoring capabilities, organizations can identify patterns indicative of a DoS attack, such as an abnormal surge in incoming traffic from specific IP addresses or a sudden increase in requests to a specific service.

Microsoft Sentinel's network traffic monitoring capabilities enable security operations teams to set up filters and rules to block or limit traffic from suspicious sources. By implementing these filters, organizations can effectively mitigate DoS attacks and ensure the availability of their network resources.

DDoS Protection Integration

In addition to its native capabilities, Microsoft Sentinel integrates with Azure DDoS Protection to provide enhanced protection against DDoS attacks. Azure DDoS Protection is a cloud-based service that provides automatic and scalable protection against DDoS attacks.

See: [What is Azure DDoS Protection?](#)

By integrating Azure DDoS Protection with Microsoft Sentinel, organizations can benefit from advanced threat intelligence and traffic analysis to detect and mitigate DDoS attacks effectively. Azure DDoS Protection offers various mitigation techniques, including rate limiting, traffic diversion, and IP blocking, to ensure the availability of critical resources during a DDoS attack.

See: [Configure Azure DDoS Protection diagnostic logging through portal](#)

Incident Response Playbooks

Microsoft Sentinel enables organizations to automate incident response processes through playbooks. Playbooks are a series of predefined actions and workflows that organizations can trigger in response to specific events, such as a detected DoS attack.

By leveraging incident response playbooks, organizations can streamline their response to DoS attacks, ensuring a consistent and efficient mitigation process. Playbooks can include actions such as traffic rerouting, service scaling, or alert notifications to relevant stakeholders. By automating these response actions, organizations can minimize the impact of DoS attacks and restore normal operations quickly.

Summary

Detecting and mitigating denial of service (DoS) attacks is a critical aspect of maintaining a secure and available IT infrastructure. Microsoft Sentinel provides organizations with robust capabilities to detect and respond to DoS attacks effectively. By leveraging advanced analytics rules, threat intelligence integration, and automation features, organizations can proactively detect DoS attacks, mitigate their impact, and ensure business continuity. Armed with Microsoft Sentinel's powerful tools, security operations

teams can defend against DoS attacks and protect their organization's critical assets.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Man/Adversary-in-the-Middle (MitM/AitM) Attacks with Microsoft Sentinel

Pickle ball

In today's digital landscape, cybersecurity threats are becoming increasingly sophisticated, and one of the most insidious forms of attack is the Man-in-the-Middle (MitM) attack. MitM attacks involve an attacker intercepting and altering communication between two parties without their knowledge. These attacks can lead to data breaches, financial loss, and reputational damage for organizations. However, with the right tools and strategies, such as Microsoft Sentinel, businesses can detect and mitigate MitM attacks effectively.

Understanding Man-in-the-Middle Attacks

What is a Man-in-the-Middle Attack?

A Man-in-the-Middle (MitM) attack is a type of cyber attack where an attacker intercepts and alters communication between two parties, making them believe they are directly communicating with each other. The attacker positions themselves between the sender and the receiver, allowing them to eavesdrop, manipulate, or inject malicious content into the communication flow.

How Does a Man-in-the-Middle Attack Work?

In a typical MitM attack, the attacker exploits vulnerabilities in the network infrastructure or the communication protocols to gain access to the communication between two parties. The attack can

occur at various stages of the communication flow, such as during initial handshake, session establishment, or data transmission.

The key steps involved in a Man-in-the-Middle attack are as follows:

1. **Interception:** The attacker intercepts the communication between the sender and the receiver without their knowledge. This can be done through various means, such as compromising a router, utilizing rogue access points, or exploiting vulnerabilities in the communication protocols.
2. **Decryption:** If the communication is encrypted, the attacker decrypts the intercepted data to gain access to its contents. This can be achieved by obtaining or cracking encryption keys or exploiting weak encryption algorithms.
3. **Manipulation:** The attacker can modify the intercepted data to alter the communication between the sender and the receiver. This can involve injecting malicious code, altering messages, or redirecting the communication to a different destination.
4. **Re-encryption:** After manipulating the data, the attacker re-encrypts it and forwards it to the intended receiver. This makes the attack difficult to detect, as the communication still appears secure and intact to the sender and receiver.

Common Types of Man-in-the-Middle Attacks

There are several common types of Man-in-the-Middle attacks that organizations should be aware of:

1. **Wi-Fi Eavesdropping:** In this type of attack, the attacker intercepts wireless communication between devices connected to a Wi-Fi network. They can eavesdrop on sensitive information, such as login credentials, emails, or financial transactions.

2. **ARP Spoofing:** Address Resolution Protocol (ARP) spoofing involves manipulating the ARP tables of devices on a local network. By impersonating the IP addresses of legitimate devices, the attacker can intercept and manipulate network traffic.
3. **DNS Spoofing:** Domain Name System (DNS) spoofing involves redirecting DNS requests to a malicious server controlled by the attacker. This allows them to intercept and manipulate the communication between users and legitimate websites or services.
4. **HTTPS Interception:** In HTTPS interception attacks, the attacker intercepts the encrypted communication between a user and a website by presenting a fake SSL certificate. This enables them to decrypt and manipulate the data before re-encrypting and forwarding it to the intended recipient.

Detecting Man-in-the-Middle Attacks with Microsoft Sentinel

Microsoft Sentinel is a comprehensive security information and event management (SIEM) solution that provides organizations with advanced threat detection and response capabilities. By leveraging the power of AI and machine learning, Microsoft Sentinel can effectively detect and mitigate Man-in-the-Middle attacks. Here's how:

Real-time Monitoring and Event Correlation

Microsoft Sentinel continuously monitors network traffic, logs, and security events in real-time to identify suspicious activities that may indicate a Man-in-the-Middle attack. It collects data from various sources, such as firewalls, intrusion detection systems, and network monitoring tools, and correlates events to identify patterns and anomalies.

By analyzing network traffic and log data, Microsoft Sentinel can detect indicators of a Man-in-the-Middle attack, such as unusual network behavior, unauthorized access attempts, or abnormal SSL/TLS certificate usage. These indicators are then prioritized and presented as incidents, allowing security analysts to take immediate action.

Machine Learning and Behavioral Analytics

Microsoft Sentinel utilizes machine learning algorithms and behavioral analytics to detect patterns and anomalies that may indicate a Man-in-the-Middle attack. By analyzing historical data and learning from past attacks, the system can identify unusual communication patterns, suspicious network connections, or abnormal user behavior.

The machine learning models in Microsoft Sentinel can adapt and evolve over time, allowing them to detect new and emerging Man-in-the-Middle attack techniques. This ensures that organizations stay one step ahead of attackers and can effectively mitigate potential threats.

Integration with Microsoft Defender for Endpoint

Microsoft Sentinel seamlessly integrates with Microsoft Defender for Endpoint, a comprehensive endpoint protection platform. By combining the capabilities of both solutions, organizations can detect and respond to Man-in-the-Middle attacks across their entire network infrastructure.

Microsoft Defender for Endpoint provides advanced threat protection, behavioral analysis, and endpoint detection and response (EDR) capabilities. It can detect suspicious activities on endpoints, such as unauthorized access attempts, malicious code execution, or abnormal network connections. This information is

then shared with Microsoft Sentinel, enabling security analysts to correlate endpoint events with network-level indicators of a Man-in-the-Middle attack.

See: [Microsoft Defender for Endpoint connector for Microsoft Sentinel](#)

Automated Incident Response and Remediation

Microsoft Sentinel enables organizations to automate incident response and remediation actions, reducing the time and effort required to mitigate Man-in-the-Middle attacks. By creating playbooks and automation rules, organizations can define predefined response actions that are triggered when specific indicators or patterns associated with a Man-in-the-Middle attack are detected.

For example, when Microsoft Sentinel detects a suspicious network connection or abnormal SSL/TLS certificate usage, it can automatically quarantine the affected endpoint, block the malicious IP address, or trigger an investigation by the security operations team. This ensures a swift and effective response to Man-in-the-Middle attacks, minimizing the potential impact on the organization.

See: [Recommended playbooks](#)

Mitigating Man-in-the-Middle Attacks with Microsoft Sentinel

Detecting Man-in-the-Middle attacks is only the first step. Organizations also need to implement effective mitigation strategies to prevent these attacks from compromising their network security. Here are some best practices for mitigating Man-in-the-Middle attacks using Microsoft Sentinel:

Implement Secure Communication Protocols

To protect against Man-in-the-Middle attacks, organizations should ensure that all communication within their network infrastructure is encrypted using secure protocols, such as Transport Layer Security (TLS) or Secure Socket Layer (SSL). Microsoft Sentinel can help organizations monitor and enforce the use of secure communication protocols and detect any anomalies or vulnerabilities in the encryption process.

Regularly Update and Patch Systems

Keeping software and systems up to date is crucial for mitigating Man-in-the-Middle attacks. Organizations should regularly apply security patches and updates to their operating systems, applications, and network devices. Microsoft Sentinel can help organizations monitor their network for any outdated or vulnerable software and provide recommendations for patching and updating.

Implement Network Segmentation

Network segmentation involves dividing a network into smaller, isolated segments, reducing the potential impact of a Man-in-the-Middle attack. By implementing network segmentation, organizations can limit the attacker's ability to move laterally within the network and access sensitive information. Microsoft Sentinel can help organizations monitor network segmentation and detect any unauthorized attempts to bypass segmentation controls.

Use Multi-Factor Authentication

Enforcing multi-factor authentication (MFA) is an effective measure to prevent unauthorized access and mitigate the risk of Man-in-the-Middle attacks. By requiring users to provide multiple forms of identification, such as a password and a unique code sent to their

mobile device, organizations can significantly increase the security of their network. Microsoft Sentinel can help organizations monitor MFA usage and detect any suspicious login attempts.

Regularly Train and Educate Employees

Employee awareness and education are critical for preventing Man-in-the-Middle attacks. Organizations should provide regular training sessions on cybersecurity best practices, including how to identify and report suspicious activities. Microsoft Sentinel can help organizations track employee training and identify any knowledge gaps or areas that require additional focus.

Monitor and Analyze Network Traffic

Continuous monitoring and analysis of network traffic are essential for detecting and mitigating Man-in-the-Middle attacks. Microsoft Sentinel provides organizations with real-time visibility into network traffic, allowing them to identify any abnormalities or suspicious activities. By analyzing network traffic logs, organizations can detect indicators of a Man-in-the-Middle attack and take immediate action.

[See: Use Logstash to stream logs with pipeline transformations via DCR-based API](#)

Conduct Regular Security Audits and Penetration Testing

Regular security audits and penetration testing can help organizations identify vulnerabilities in their network infrastructure and proactively address them. Microsoft Sentinel can assist organizations in conducting security audits and monitoring the results of penetration testing activities. By identifying and remedying vulnerabilities, organizations can reduce the risk of Man-in-the-Middle attacks.

Establish an Incident Response Plan

Having a well-defined incident response plan is crucial for mitigating and responding to Man-in-the-Middle attacks effectively. Organizations should establish clear procedures and guidelines for detecting, analyzing, and resolving security incidents. Microsoft Sentinel can help organizations develop and implement an incident response plan, providing real-time incident tracking and collaboration tools.

See: [Incident response planning](#)

Summary

Man-in-the-Middle attacks pose a significant threat to organizations' network security and can result in devastating consequences. However, with the right tools and strategies, such as Microsoft Sentinel, organizations can effectively detect and mitigate these attacks. By continuously monitoring network traffic, leveraging machine learning algorithms, and automating incident response, organizations can stay one step ahead of attackers and protect their network infrastructure from Man-in-the-Middle attacks. Implementing best practices, such as secure communication protocols, regular system updates, and employee training, further enhances the security posture against these attacks. By adopting a proactive approach to network security and leveraging the capabilities of Microsoft Sentinel, organizations can ensure the integrity, confidentiality, and availability of their critical assets.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Keylogger Attacks with Microsoft Sentinel

I'm a lumberjack

Keyloggers are one of the most common types of malware used by cybercriminals to steal sensitive information such as passwords, credit card numbers, and other personal data. As a result, it is essential for organizations to detect and mitigate keylogger attacks to protect their sensitive data and avoid financial losses. In this chapter, we will discuss how Microsoft Sentinel can be used to detect and mitigate keylogger attacks.

Also see:

[Microsoft Sentinel SOC 101: How to Detect and Mitigate Phishing Attacks with Microsoft Sentinel](#)

[Microsoft Sentinel SOC 101: How to Detect and Mitigate Malware Attacks with Microsoft Sentinel](#)

What is a keylogger attack?

A keylogger attack is a type of malware that records every keystroke made on a computer or mobile device, including passwords, credit card numbers, and other sensitive information. The attacker can then use this information to steal money or sensitive data, or even take control of the victim's device.

How to detect keylogger attacks with Microsoft Sentinel

Microsoft Sentinel is a cloud-native security information and event management (SIEM) system that uses artificial intelligence and machine learning to detect and respond to threats in real-time. Here are the steps to detect keylogger attacks with Microsoft Sentinel:

1. **Collect logs from endpoints** - To detect keylogger attacks, you need to collect logs from endpoints such as computers and mobile devices. Microsoft Sentinel provides a variety of ways to collect logs from endpoints, including agents, connectors, and APIs.
2. **Analyze logs with Microsoft Sentinel** - Once you have collected logs from endpoints, you can analyze them with Microsoft Sentinel to detect keylogger attacks. Microsoft Sentinel uses advanced analytics and machine learning to detect anomalies in logs, such as unusual keystroke patterns or suspicious processes running on endpoints.
3. **Investigate alerts and respond to threats** - If Microsoft Sentinel detects a keylogger attack, it will generate an alert that you can investigate. Microsoft Sentinel provides a variety of tools to investigate alerts, including a built-in investigation graph that allows you to visualize the attack chain and identify the root cause of the attack. Once you have identified the root cause of the attack, you can take appropriate action to mitigate the threat, such as disabling the keylogger or removing the malware from the affected endpoint.

Things to look for

There are several things you can look for to determine whether there is an active keylogger attack on your device:

1. **Check for unusual network activity:** Keyloggers often transmit data over the internet, so if there is an active keylogger attack, it will generate unusual network activity.
2. **Look for suspicious processes:** If there is an active keylogger attack, there may be suspicious processes running in the background that are not familiar or related to any known application.

3. **Monitor system settings:** Keyloggers require certain settings to be changed to function properly. Therefore, you should monitor the registry or system settings for any changes.
4. **Watch out for strange pop-ups:** Keyloggers may generate pop-up windows that ask for sensitive information, such as usernames, passwords, or credit card details.
5. **Check user accounts:** If there are unexplained changes in user accounts, such as unauthorized password changes or new accounts being created, it could be a sign of an active keylogger attack.
6. **Pay attention to mouse or keyboard behavior:** Keyloggers record all keyboard and mouse activity, so if there is an active keylogger attack, there may be unusual mouse or keyboard behavior.
7. **Monitor system performance:** Keyloggers can slow down system performance, especially if they are running in the background and transmitting data over the internet.
8. **Check for suspicious files or folders:** Keyloggers often create files or folders on the system to store the data they collect. Therefore, you should look for suspicious files or folders that you do not recognize.

How to mitigate keylogger attacks

In addition to detecting keylogger attacks, you should have defined steps to help mitigate. Microsoft Sentinel can help isolate or quarantine user accounts and devices that might be impacted by a keylogger attack (see: [Isolate-AzureVMtoNSG](#) for an example) but having a strategy to minimize exposure is crucial.

Use multi-factor authentication

One of the most effective ways to mitigate keylogger attacks is to use multi-factor authentication (MFA). MFA requires users to

provide additional proof of identity, such as a fingerprint or one-time password, in addition to a password. This makes it much harder for attackers to steal passwords using keyloggers.

See: [Enable Microsoft Entra multifactor authentication](#)

Educate users

Another effective way to mitigate keylogger attacks is to educate users about the risks of keyloggers and how to avoid them. This can include training users on how to identify phishing emails and avoid clicking on suspicious links or downloading unknown attachments.

Use endpoint protection software

Endpoint protection software such as antivirus and anti-malware software can help mitigate keylogger attacks by detecting and blocking keyloggers before they can be installed on endpoints. Microsoft Defender for Endpoint is a powerful endpoint protection solution that integrates with Microsoft Sentinel to provide real-time threat detection and response.

See: [Connect data from Microsoft 365 Defender to Microsoft Sentinel](#)

Summary

Keylogger attacks are a serious threat to organizations of all sizes, but with the right tools and strategies, they can be detected and mitigated. Microsoft Sentinel provides a powerful platform for detecting and responding to keylogger attacks in real-time, allowing organizations to protect their sensitive data and avoid financial losses. By following the steps outlined in this chapter, you can ensure that your organization is prepared to detect and mitigate keylogger attacks.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Cryptojacking Attacks with Microsoft Sentinel

Get back, Jack

Cryptojacking is a type of cyberattack that involves unauthorized use of cloud computing resources to mine cryptocurrencies.

Cryptojackers typically compromise cloud accounts or services, deploy malicious code or containers, and consume excessive amounts of CPU, memory, disk, or network bandwidth. This can result in increased costs, degraded performance, reduced availability, and potential compliance violations for the affected cloud customers.

In this chapter, we will summarize some of the key findings and recommendations from their research and show how Microsoft Sentinel can help you detect and respond to cryptojacking threats in your cloud environment.

***See:** [Microsoft security experts have surfaced tell-tale deployment patterns to help defenders determine, identify, and mitigate cloud cryptojacking attacks](#).*

Common cryptojacking techniques and indicators

Cryptojackers use various techniques to gain access to cloud resources, such as phishing, credential theft, brute-force attacks, exploiting vulnerabilities, or abusing misconfigurations. Once they have access, they deploy their mining code or containers using different methods, such as:

- Modifying existing cloud services or resources to run mining code
- Creating new cloud services or resources to run mining code

- Injecting mining code into legitimate cloud applications or processes
- Using legitimate cloud services or tools to run mining code

Some of the common indicators of cryptojacking activity include:

- High CPU or memory utilization by unknown or suspicious processes or containers
- Unusual network traffic patterns or connections to known mining pools or domains
- Unexpected changes in cloud configuration or resource usage
- Anomalous user or service account behavior or login attempts
- Presence of malicious code or files related to mining software

How Microsoft Sentinel can help you detect and mitigate cryptojacking attacks

Microsoft Sentinel is a cloud-native SIEM and XDR solution that provides comprehensive visibility, detection, investigation, and response capabilities across your hybrid environment. Microsoft Sentinel can help you detect and mitigate cryptojacking attacks by:

- **Collecting and analyzing data** from various sources, such as Azure Activity logs, Azure Monitor logs, Azure Defender alerts, Microsoft 365 Defender alerts, Azure AD sign-in logs, network device logs, and custom logs
- **Applying advanced analytics and machine learning** to identify suspicious or malicious activity related to cryptojacking
- **Providing rich dashboards and workbooks** to visualize and monitor cryptojacking indicators and trends
- Enabling fast and effective **investigation and response** using built-in playbooks, notebooks, hunting queries, and automation rules

To help you get started with cryptojacking detection and response using Microsoft Sentinel, here are a few ready-made Hunting queries:

- [Crypto currency miners](#)
- [Suspicious cryptocurrency mining related threat activity detected](#)
- [Detecting Anomaly Sign-In Event](#)
- [Administrator Authenticating to Another Azure AD Tenant](#)
- [Creation of an anomalous number of resources](#)

Additionally, by connecting **Defender for Cloud** and **Defender for Endpoint** to Microsoft Sentinel a wealth of additional capability and alerts is available right away.

See:

- [Connect Microsoft Defender for Cloud alerts to Microsoft Sentinel](#)
- [Connect data from Microsoft 365 Defender to Microsoft Sentinel](#)

Summary

Cryptojacking is a serious threat that can cause significant damage to your cloud environment and business. By using Microsoft Sentinel, you can gain comprehensive visibility and protection against cryptojacking attacks across your hybrid environment. You can also leverage the Solution for Cryptojacking - Cloud Compute Resource Abuse to quickly deploy detection and response capabilities for cryptojacking scenarios.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Drive-by Download Attacks with Microsoft Sentinel

In the driver's seat

Drive-by download attacks are a type of cyberattack that exploit vulnerabilities in web browsers or plugins to download and execute malicious code on the victim's device without their consent or knowledge. These attacks can compromise the security and privacy of the device, as well as the data and credentials stored on it. Drive-by download attacks can also be used as a delivery mechanism for other types of malware, such as ransomware, spyware, or trojans.

Drive-by download attacks can be initiated by visiting a malicious website, clicking on a malicious link or advertisement, or opening a malicious email attachment. The malicious code can be embedded in the web page itself, or in a script, iframe, or file that is loaded from another source. The malicious code can exploit a known or unknown vulnerability in the browser or plugin or use social engineering techniques to trick the user into allowing the download or execution of the code.

Rod's Blog is a reader-supported publication. To receive new chapters and support my work, consider becoming a free or paid subscriber.

Subscribed

Drive-by download attacks are difficult to detect and prevent, as they often use obfuscation, encryption, or polymorphism techniques to evade antivirus and firewall solutions. Moreover, they can exploit zero-day vulnerabilities that have not been patched by the vendors. Therefore, it is important to use a comprehensive and proactive approach to protect against drive-by download attacks.

Microsoft Sentinel

Microsoft Sentinel is a cloud-native security information and event management (SIEM) service that provides intelligent security analytics and threat detection across your enterprise. Microsoft Sentinel collects data from various sources, such as Azure services, Microsoft 365 services, devices, applications, and third-party solutions. Microsoft Sentinel applies advanced machine learning and artificial intelligence techniques to analyze the data and identify threats, anomalies, and suspicious activities. Microsoft Sentinel also enables you to investigate and respond to incidents, as well as automate workflows and actions using playbooks.

Microsoft Sentinel can help you detect and mitigate drive-by download attacks by providing the following capabilities:

- **Data collection:** Microsoft Sentinel can collect data from various sources that are relevant to drive-by download attacks, such as web proxy logs, firewall logs, DNS logs, antivirus logs, endpoint detection and response (EDR) logs, browser history logs, and file activity logs. You can use connectors to integrate these sources with Microsoft Sentinel easily and securely.
- **Data enrichment:** Microsoft Sentinel can enrich the collected data with additional information and context, such as threat intelligence feeds, geolocation data, user and device information, and reputation scores. You can use parsers to normalize and structure the data for better analysis.
- **Data analysis:** Microsoft Sentinel can analyze the enriched data using rules, analytics, and machine learning models to detect drive-by download attacks. You can use built-in rules or create your own rules to define the logic and criteria for detection. You can also use notebooks to perform interactive analysis using Python code and libraries.

- **Data visualization:** Microsoft Sentinel can visualize the analysis results using dashboards, workbooks, and hunting queries. You can use built-in dashboards or create your own dashboards to monitor key metrics and indicators. You can also use workbooks to create interactive reports with charts, tables, and graphs. You can also use hunting queries to explore the data and find patterns and anomalies.
- **Incident response:** Microsoft Sentinel can create incidents based on the detection results and assign them to analysts for investigation and response. You can use built-in playbooks or create your own playbooks to automate actions and workflows using Azure Logic Apps. You can also use investigation graphs to visualize the relationships between entities involved in an incident.

Example Scenario

To illustrate how Microsoft Sentinel can help you detect and mitigate drive-by download attacks, consider the following example scenario:

1. A user **receives an email** from a spoofed sender claiming to be their bank. The email contains a link that directs the user to a phishing website that mimics the bank's website.
2. The phishing website contains a malicious script that exploits a vulnerability in the user's browser plugin to **download a malicious executable file** onto the user's device.
3. The malicious executable file runs on the user's device and **installs a ransomware** that encrypts the user's files and demands a ransom for decryption.

In this scenario, Microsoft Sentinel can help you detect and mitigate drive-by download attacks by performing the following steps:

- Collect data from various sources that are relevant to drive-by download attacks:
 - **Email logs:** Microsoft Sentinel can collect email logs from Microsoft 365 using the Office 365 connector.
 - **Web proxy logs:** Microsoft Sentinel can collect web proxy logs from Azure Firewall using the Azure Firewall connector.
 - **Firewall logs:** Microsoft Sentinel can collect firewall logs from Azure Firewall using the Azure Firewall connector.
 - **DNS logs:** Microsoft Sentinel can collect DNS logs from Azure DNS.
 - **Antivirus logs:** Microsoft Sentinel can collect antivirus logs from Microsoft Defender for Endpoint.
 - **EDR logs:** Microsoft Sentinel can collect EDR logs from Microsoft Defender for Endpoint.
 - **Browser history logs:** Microsoft Sentinel can collect browser history logs from Microsoft Defender for Endpoint.
 - **File activity logs:** Microsoft Sentinel can collect file activity logs from Microsoft Defender for Endpoint.
- Enrich data with additional information and context:
 - **Threat intelligence feeds:** Microsoft Sentinel can enrich the data with threat intelligence feeds from Microsoft Threat Intelligence and third-party providers using the Threat Intelligence connector. The threat intelligence feeds provide information about known malicious domains, IPs, URLs, files, and indicators of compromise (IOCs).
 - **Geolocation data:** Microsoft Sentinel can enrich the data with geolocation data using the Azure Maps connector. The geolocation data provides information about the physical location of the source and destination IP addresses.

- **User and device information:** Microsoft Sentinel can enrich the data with user and device information from Azure Active Directory and Microsoft Intune using the Azure Active Directory and Microsoft Intune connectors. The user and device information provides information about the identity, role, group, device type, device state, and device compliance of the source and destination entities.
- **Reputation scores:** Microsoft Sentinel can enrich the data with reputation scores using the VirusTotal connector. The reputation scores provide information about the trustworthiness and risk level of the domains, IPs, URLs, and files involved in the data.
- Analyze data using rules, analytics, and machine learning models to detect drive-by download attacks
 - **Built-in rules:** Microsoft Sentinel provides built-in rules that can detect drive-by download attacks based on predefined logic and criteria. For example, the rule “Potential drive-by download attack” can detect when a user visits a malicious URL that downloads a malicious file onto their device.
 - **Custom rules:** Microsoft Sentinel allows you to create custom rules that can detect drive-by download attacks based on your own logic and criteria. For example, you can create a custom rule that can detect when a user visits a phishing website that mimics a legitimate website.
 - **Notebooks:** Microsoft Sentinel allows you to use notebooks to perform interactive analysis using Python code and libraries. For example, you can use a notebook to perform anomaly detection, clustering, or classification on the data to find patterns and outliers that indicate drive-by download attacks.

- Visualize analysis results using dashboards, workbooks, and hunting queries
 - **Built-in dashboards:** Microsoft Sentinel provides built-in dashboards that can visualize key metrics and indicators related to drive-by download attacks. For example, the dashboard “Threat Intelligence” can show you the number of incidents, alerts, entities, and IOCs related to drive-by download attacks.
 - **Custom dashboards:** Microsoft Sentinel allows you to create custom dashboards that can visualize any metrics and indicators that you want to monitor related to drive-by download attacks. For example, you can create a custom dashboard that can show you the number of users, devices, files, and domains involved in drive-by download attacks.
 - **Workbooks:** Microsoft Sentinel allows you to use workbooks to create interactive reports with charts, tables, and graphs related to drive-by download attacks. For example, you can use a workbook to create a report that shows you the timeline, impact, and root cause of drive-by download attacks.
 - **Hunting queries:** Microsoft Sentinel allows you to use hunting queries to explore the data and find patterns and anomalies related to drive-by download attacks. For example, you can use a hunting query to find any suspicious or unusual file downloads or executions on your devices.
- Create incidents based on detection results and assign them to analysts for investigation and response
 - **Incidents:** Microsoft Sentinel creates incidents based on the detection results from rules or analytics. Incidents contain information about the severity, status, owner, description, entities,

- **Playbooks:** Microsoft Sentinel allows you to use playbooks to automate actions and workflows related to incidents using Azure Logic Apps. Playbooks can perform tasks such as sending notifications,
- **Investigation graphs:** Microsoft Sentinel allows you to use investigation graphs to visualize the relationships between entities involved in an incident. Investigation graphs can help you understand the scope,

Mitigation

Some things that security teams can do to mitigate drive-by download attacks against their users are:

- **Educate and train the users** on how to recognize and avoid drive-by download attacks. For example, teach them how to spot phishing emails, malicious websites, or malvertisements, and how to check the security and validity of the links or downloads they encounter.
- **Implement and enforce security policies and best practices** for the users. For example, require them to use strong passwords, update their software regularly, use reputable antivirus programs, and report any suspicious or unusual activity on their devices.
- **Monitor and filter the network traffic and web activity** of the users. For example, use a web proxy or firewall to block access to known malicious domains, IPs, URLs, or files, and use a traffic filtering software to detect and prevent any malicious downloads or connections that may occur during a drive-by download attack.
- **Use a security information and event management (SIEM) service like Microsoft Sentinel to collect, analyze, and respond to security data from various sources.** For example, use Microsoft Sentinel to integrate data from web proxy logs,

firewall logs, DNS logs, antivirus logs, endpoint detection and response (EDR) logs, browser history logs, and file activity logs. Use Microsoft Sentinel to enrich the data with threat intelligence feeds, geolocation data, user and device information, and reputation scores. Use Microsoft Sentinel to detect drive-by download attacks using rules, analytics, and machine learning models. Use Microsoft Sentinel to visualize the analysis results using dashboards, workbooks, and hunting queries. Use Microsoft Sentinel to create incidents based on the detection results and assign them to analysts for investigation and response. Use Microsoft Sentinel to automate actions and workflows using playbooks.

Microsoft Sentinel SOC 101: How to Detect and Mitigate Quishing Attacks with Microsoft Sentinel

Q-is

QR codes are a convenient way to access information quickly, but they can also be used maliciously. Microsoft Defender provides a comprehensive guide on how to use QR codes safely and ethically.

See: [How to use QR codes safely and ethically](#)

QR code technology itself is safe and secure, but criminals find ways to exploit how individuals and businesses use QR codes. When you scan a QR code with your phone, the QR reader within your phone identifies the code and directs you to the website URL, PDF file, video, etc. The QR code itself doesn't collect any personal data or live-track you. The basic technology is very secure, but that doesn't stop hackers from taking advantage of them in phishing schemes and more. You can generate a QR code safely by using a reputable,

secure QR code generator so your code is unique, private, and does not send users to the wrong nefarious website. You can also customize your QR code with your brand colors and logos to enhance brand identity. Hackers struggle to replicate a custom QR code and will often avoid it. If you're using QR codes to share private documents or exclusive content, set up your QR code with password protection. This way, users can only access the information after they've scanned the QR code and entered the correct password.

What is a Quishing Attack?

A **quishing attack** is a type of *phishing* attack that uses QR codes to lure victims into revealing sensitive information. The word "quishing" is a combination of "QR" and "phishing".

In a quishing attack, cybercriminals use a QR code to direct traffic to a fraudulent website. Once on the website, cybercriminals can use social engineering techniques to manipulate users into giving away personal information or financial details. Quishing attacks have become popular with cybercriminals because they can bypass traditional defenses like secure email gateways (SEGs), which scan for known malicious links and attachments. By embedding a QR code in an email, they often classify quishing emails as harmless since they cannot detect the embedded image.

Allow Defender for Office 365 to do its job

Before digging into identifying Quishing techniques in Microsoft Sentinel, it's important to use the right tool for the job. Quishing is not unlike other phishing attacks. While Microsoft Sentinel can be used to tie Quishing attacks to other significant and potentially related occurrences in the environment, configure Microsoft Defender anti-phishing policies to help curb attacks before they happen.

See the following:

- [Configure anti-phishing policies in Microsoft Defender for Office 365](#)
- [Enhanced Phishing Protection in Microsoft Defender SmartScreen](#)

And, because Quishing is not unlike Phishing and the result of a successful attack is generally a malware event, follow the guidance already covered in this series including using threat intelligence and mitigation:

- [Microsoft Sentinel SOC 101: How to Detect and Mitigate Phishing Attacks with Microsoft Sentinel](#)
- [Microsoft Sentinel SOC 101: How to Detect and Mitigate Malware Attacks with Microsoft Sentinel](#)

Once you have Defender configured correctly, [Connect data from Microsoft 365 Defender to Microsoft Sentinel](#). This ensures that the Defender alerts can be consumed alongside the rest of the monitored environment, leading to a bigger picture when an attack is underway. For example, a Quishing event can potentially result in performance issues for PCs, servers, and network devices, and anomalous activity by user accounts.

Identifying Image Attachments in Email

With Microsoft 365 Defender connected to Microsoft Sentinel, image attachments can be detected through the **EmailAttachmentInfo** table Joined with the **EmailUrlInfo** table using something like the following KQL query:

```
let image_extensions = dynamic(["jpg", "jpeg", "png", "bmp", "gif"]);
EmailAttachmentInfo
| where FileType in (image_extensions)
| where FileName matches regex "[A-Z0-9]{9,10}.[A-Za-z0-9]+$"
| join EmailUrlInfo on TenantId
```

```
| where UrlLocation == "Attachment"  
| distinct FileName, FileType, SenderFromAddress, RecipientEmailAddress,  
UrlDomain, Url
```

This query searches for the various image extensions in emails and specifically calls out those images that are attachments with a URL versus where the URL is just text in the email.

Using Microsoft Sentinel to catch the outliers ties the activity to the rest of the monitored environment.

BTW: After some testing, this query only works for Microsoft Sentinel because the Join column, TenantId, requires a Log Analytics workspace (see the [Azure Monitor Logs reference](#)). This query does not work for Advanced Hunting in Microsoft 365 Defender. I may come back to revisit that later.

Remediation

So, what's next? What needs to happen to these emails with QR Codes detected?

Though for Advanced Hunting in Defender, [Steven Lim](#) has a written a post on LinkedIn describing how he is handling it. See: [Defending against Quishing attack with Microsoft 365 Defender Advanced Hunting](#).

In the post, Steve describes sending detected emails to the user's Junk email folder for later review, along with providing geo reporting on where the emails are coming from.

But a better option (*back to letting Defender for Office 365 do its job*) would be to use the built-in functions for Defender for Office 365 for:

- *Soft delete email messages*
- *Block URL (time-of-click).*

See: [**Remediation actions in Microsoft Defender for Office 365**](#)

A person wearing a grey hoodie is sitting at a desk in a server room, looking at a computer monitor. The room is dimly lit with blue light from the monitors and server racks in the background. The person's hands are on their chin, suggesting deep thought or concentration. The background shows rows of server racks with glowing lights.

ARE YOU LOOKING FOR A WAY TO IMPROVE YOUR SECURITY OPERATIONS CENTER (SOC) AND PROTECT YOUR ORGANIZATION FROM CYBER THREATS? DO YOU WANT TO LEARN HOW TO USE MICROSOFT SENTINEL, A CLOUD-NATIVE SECURITY INFORMATION AND EVENT MANAGEMENT (SIEM) SOLUTION, TO DETECT AND MITIGATE SOME OF THE MOST COMMON AND IMPACTFUL CYBERATTACKS? IF SO, THIS BOOK IS FOR YOU.

IN THIS BOOK, YOU WILL LEARN HOW TO USE MICROSOFT SENTINEL TO COLLECT, ANALYZE, INVESTIGATE, AND RESPOND TO SECURITY INCIDENTS IN REAL TIME. EACH CHAPTER WILL COVER A DIFFERENT TYPE OF ATTACK, SUCH AS BRUTE FORCE, PHISHING, MALWARE, CROSS-SITE SCRIPTING (XSS), SUPPLY CHAIN, CREDENTIAL REUSE, SQL INJECTION, DENIAL OF SERVICE (DOS), MAN-IN-THE-MIDDLE (MITM), KEYLOGGER, CRYPTOJACKING, OR DRIVE-BY DOWNLOAD. YOU WILL LEARN HOW THESE ATTACKS WORK, WHAT ARE THEIR INDICATORS OF COMPROMISE (IOCS), HOW TO CONFIGURE MICROSOFT SENTINEL TO DETECT THEM, HOW TO INVESTIGATE THEM USING MICROSOFT SENTINEL'S FEATURES AND CAPABILITIES, AND HOW TO RESPOND TO THEM USING MICROSOFT SENTINEL'S INTEGRATIONS AND AUTOMATION OPTIONS.